



[www.BakeMax.com](http://www.BakeMax.com)

## 2025 FOODSERVICE EQUIPMENT CATALOG



**Think Quality - Think Value - Think Service - Think BakeMax**



[www.BakeMax.com](http://www.BakeMax.com) | 1-800-565-BAKE (2253)


## Our Message

With over 50 years in the Food Service industry, we take pride in the products we offer to our customers throughout North America. From our Mixers to Ranges and everything in between, the BakeMax® & BakeMax America® family of products dates all the way back to 1966. What makes our brand so special is the quality of our products combined with the knowledge and experience of our staff.

The team at TVI is here to serve you, the customer. We strive to excel in customer support of our BakeMax® & BakeMax America® product lines before and after the sale. If you have not experienced the value of a BakeMax® & BakeMax America® products, why not find out why we are one of the fastest growing brands in North America.

BakeMax & BakeMax America are registered trademarks of (TVI) Titan Ventures International Inc.

Here to serve you,

  
Your BakeMax® Team



Find us on Auto Quotes



## Want to be a BakeMax Dealer or Representative?

Email us at [Sales@BakeMax.com](mailto:Sales@BakeMax.com) or Call 1-800-565-2253

## Want to be an Authorized Service Company for BakeMax?

Email us at [Service@BakeMax.com](mailto:Service@BakeMax.com) or Call 1-800-565-2253

## Looking for BakeMax OEM Parts?

Email us at [Info@BakeMax.com](mailto:Info@BakeMax.com) or Call 1-800-565-2253

## Equipment Approvals



## Contact Information

**Sales:** [Sales@BakeMax.com](mailto:Sales@BakeMax.com)

**Purchase Orders:** [OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

**Service:** [Service@BakeMax.com](mailto:Service@BakeMax.com)

**General Inquiries:** 1-800-565-2253

### Head Office:

Titan Ventures International  
20 Caribou St  
Moncton, NB E1H 0P3  
Toll Free: 1-800-565-2253  
Fax: 506-859-6929

Think Quality - Think Value - Think Service - Think BakeMax



# Table of Contents

## **Bakery & Pizza Equipment**

Countertop Planetary Mixers	Page 4
Floor Model Planetary Mixers	Pages 5-7
Mixing Dough Capacity Chart	Page 8
Spiral Mixers	Pages 9-11
Spiral Mixer vs Planetary Mixer	Page 12
Countertop Single Pass Sheeters	Page 13
Countertop Pasta Extruder	Page 13
Countertop Double Pass Sheeters	Page 14
Countertop Reversible Sheeters	Page 15
Floor Model Reversible Sheeters	Page 16
Dough Moulders	Page 17
Dough Dividers & Rounders	Pages 18-24
Manual Pizza Presses	Pages 25-26
Automatic Dough Presses	Page 27
Manual Tortilla & Meat Presses	Page 28
Tortilla Warmers	Page 29
Bread Slicers	Page 30
Pizza Warmers	Page 31
Water Meters	Pages 32-33



## **Cooking Equipment**

Artisan Stone & Pizza Deck Ovens	Pages 34-37
Rotating Pizza Ovens	Pages 38-39
Electric Ranges	Page 40
Electric Griddles	Pages 41-42
Electric Fryers	Pages 43-44
Electric Induction Cookers	Pages 45-46
Electric Pasta Cooker	Page 46
Electric Hot Plates	Page 47
Gas Charbroiler / Grill	Page 48
Gas Griddles	Pages 49-50
Gas Hot Plates	Page 51
Gas Stock Pots	Page 52
Gas Fryers	Page 53
Gas Ranges	Page 54-55
Convection Ovens	Pages 56-58
Air Fryers	Page 59
Conveyor Toasters	Page 60
Conveyor Baker	Page 61



## **Food Preparation Equipment**

Bone Saw & Bread Crumb Machine	Page 62
Meat Grinders	Page 63-64
Meat Slicers	Page 65
Vegetable Cutter & Slicer	Page 66



## **Display Cases**

Heated Display Cases	Pages 67-79
Refrigerated Display Cases	Pages 70-72

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Planetary Mixers

The BakeMax BMPM Series of Countertop Heavy Duty Planetary Mixers offers a space saving solution for cafes, restaurants, and bakeries tight on space. Our mixers provide durability, long life, and excellent mixing performance. They are safe, easy to use and capable of a broad range of dough and food mixing applications.



Model	BMPM007	BMPM012	BMPM20A	BMPM020
<b>Bowl Size</b>	7 Quart	12 Quart	20 Quart	20 Quart
<b>HP</b>	1/3 HP	½ HP	0.50 HP	0.50 HP
<b>Belt / Gear Driven</b>	Gear Driven	Gear Driven	Gear Driven	Gear Driven
<b>Timer</b>	30 Minute Digital Timer	30 Minute Digital Timer	30 Minute Digital Timer	30 Minute Digital Timer
<b>Speeds</b>	5	3	3	3
<b>Electrical</b>	110V / 6A / 650W 60Hz / 1Ph 5-15P Plug	110V / 8A / 375W 60Hz / 1Ph 5-15P Plug	110V / 8A / 375W 60Hz / 1Ph 5-15P Plug	110V / 8A / 375W 60Hz / 1Ph 5-15P Plug
<b>Hub Size</b>	N/A	N/A	#12*	#12*
<b>Dims. (WDH)</b>	18.1" x 13.4" x 20.5"	19" x 14.5" x 25.5"	21.4" x 22.7" x 30.6"	20" x 23" x 33"
<b>Net Weight</b>	40 lbs.	77 lbs.	124.6 lbs.	216 lbs.
<b>Shipping (WDH)</b>	20" x 15" x 24"	22" x 20" x 26"	29" x 25" x 40"	21" x 25" x 40"
<b>Shipping Weight</b>	44 lbs.	80 lbs.	150 lbs.	276 lbs.
<b>Warranty</b>	1-Year Limited	1-Year Limited	2-Year Limited	2-Year Limited

All BakeMax Planetary Mixers include a Wire Whip, Flat Beater & Hook.

\*#12 Hub can use the BMVS001 Vegetable & Cheese Slicer or BMMGA01 Meat Grinder Hub Attachments

Think Quality - Think Value - Think Service - Think BakeMax

# Bakery & Pizza Equipment

## Planetary Mixers

The BakeMax BMPM Series of Countertop Heavy Duty Planetary Mixers offers a space saving solution for cafes, restaurants, and bakeries tight on space. Our mixers provide durability, long life, and excellent mixing performance. They are safe, easy to use and capable of a broad range of dough and food mixing applications.



Model	BMPME20	BMPME30	BMPM030	BMPM040
<b>Bowl Size</b>	20 Quart	30 Quart	30 Quart	40 Quart
<b>HP</b>	1 HP	1.5 HP	1 HP	1.5 HP
<b>Belt / Gear Driven</b>	Gear Driven	Gear Driven	Gear Driven	Gear Driven
<b>Timer</b>	N/A	N/A	15 Minute Manual Mechanical	15 Minute Manual Mechanical
<b>Speeds</b>	3	3	3	3
<b>Electrical</b>	110v / 7A / 750W / 60Hz 1Ph / Nema 5- 15P Plug	110V / 10A / 1100W / 60Hz / 1Ph / Nema 5-15P Plug	110V / 16A / 750W 60Hz / 1Ph / Nema 5-15P Plug	220V / 12A / 1125W 60Hz / 1Ph Hard Wired
<b>Hub Size</b>	N/A	N/A	#12*	#12*
<b>Dimensions (WDH)</b>	17" x 20" x 31"	20" x 23" x 33"	22" x 25" x 44"	26" x 28" x 49"
<b>Net Weight</b>	114 lbs.	139 lbs.	407 lbs.	451 lbs.
<b>Shipping (WDH)</b>	22" x 25" x 38"	24" x 22" x 40"	24" x 28" x 51"	28" x 32" x 57"
<b>Shipping Weight</b>	151lbs.	183 lbs.	476 lbs.	540 lbs.
<b>Warranty</b>	1-Year Limited	1-Year Limited	2-Year Limited	2-Year Limited

All BakeMax Planetary Mixers include a Wire Whip, Flat Beater & Hook.

\*#12 Hub can use the BMVS001 Vegetable & Cheese Slicer or BMMGA01 Meat Grinder Hub Attachments

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Planetary Mixers



Model # BMPM60B



Model # BMPM060



Model # BMPM080



Model # BMPM120



Intertek

Intertek

Model	BMPM60B	BMPM060	BMPM080	BMPM120
<b>Bowl Size</b>	60 Quart	60 Quart	80 Quart	120 Quart
<b>HP</b>	2 HP	3 HP	4 HP	5 HP
<b>Belt / Gear Driven</b>	Belt Driven	Gear Driven	Belt Driven	Belt Driven
<b>Timer</b>	15 Minute Manual Mechanical	15 Minute Manual Mechanical	30 Minute Manual Electric	30 Minute Manual Electric
<b>Speeds</b>	3	4	4	4
<b>Bowl Lift</b>	Flywheel	Electric	Electric	Electric
<b>Electrical</b>	220V / 16A / 1500W 60Hz / 1Ph Hard Wired	220V / 18A / 2250W 60Hz / 1Ph Hard Wired	220V / 18A / 3000W 60Hz / 3 Ph Hard Wired	220V / 20A / 3600W 60Hz / 3Ph Hard Wired
<b>Hub Size</b>	#12*	#12*	#12*	#12*
<b>Dimensions (WDH)</b>	28" x 41" x 53"	28" x 41" x 57"	28" x 41" x 57"	33.1" x 47.24" x 65"
<b>Net Weight</b>	880 lbs.	1003 lbs.	1276 lbs.	1760 lbs.
<b>Shipping (WDH)</b>	31" x 45" x 62" H	31" x 45" x 66" H	33" x 49" x 67"	28" x 32" x 57"
<b>Shipping Weight</b>	1030 lbs.	1146 lbs.	1478 lbs.	2060 lbs.
<b>Warranty</b>	2-Year Limited	2-Year Limited	2-Year Limited	2-Year Limited

All BakeMax Planetary Mixers include a Wire Whip, Flat Beater & Hook.

\*#12 Hub can use the BMVS001 Vegetable & Cheese Slicer or BMMGA01 Meat Grinder Hub Attachments

Bowl Dolly is Included on BMPM060, BMPM60B, BMPM080, and BMPM120 Models

Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Planetary Mixers

The MK Series transforms the mixing process with its innovative swing-out bowl, making it easier than ever to install or swap bowls and quickly add or remove ingredients. While enhancing convenience, the BMMK60 also upholds the legendary toughness of BakeMax mixers, known for their longevity & durability.

### Features:

- Heavy Duty Construction with Smooth and Noiseless Operation
- Electric Power Bowl Lift takes heavy lifting out of mixing
- Ergonomic Hinged Bowl with Handles
- Easy-to-Use Dial Speed Control to change the mixing speed
- Manual Mechanical 60-Minute Dial Timer
- Includes an easy-to-remove Stainless-Steel Bowl Guard which features automatic safety shut off when opened at any speed
- You can adjust the mixing speed while the mixer is running
- Comes with two stainless-steel wire whips, the thin whip is for the liquid ingredients for example - sauce, egg etc., and the thick whip is for the thicker liquids like heavy creams, pancake mix etc.
- Includes Stainless-Steel Dough Hook & Stainless-Steel Flat Beater
- 2-Year Limited Warranty



Intertek



Intertek



Model	BMMK60	BMMK80
Bowl Size	60 Quart	80 Quart
HP	3 HP	3 HP
Belt / Gear Driven	Belt Driven	Belt Driven
Timer	60 Minute Manual Mechanical	60 Minute Manual Mechanical
Speed	0-220RPM	0-220RPM
Bowl Lift	Electric	Electric
Electrical	240V / 16A / 2200W 60Hz / 3Ph Hard Wired	240V / 16A / 3000W 60Hz / 3Ph Hard Wired
Hub Size	#12	#12
Dimensions (WDH)	25" x 41" x 64"	25" x 42" x 64"
Net Weight	772 lbs.	882 lbs.
Shipping (WDH)	40" x 40" x 76"	40" x 41" x 77"
Shipping Weight	816 lbs.	926 lbs.
Warranty	2-Year Limited	2-Year Limited

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Planetary Mixer Capacity Chart



## Mixing Dough & Capacity Information

The moisture content of heavy dough is a critical factor when selecting proper mixing speed. You should never use 2nd speed when mixing heavy dough with an Absorption Ratio (AR) of 50% or less. To determine the Absorption Ratio (AR) of a product, divide the water weight by the flour weight.

### Warehouses:

20 Caribou St, Moncton, NB E1H 0P3  
5705 Valley Belt Rd Independence, OH 44131  
1201 E 27th Terrace Pittsburg, KS 66762

Example: Calculate the Absorption Ratio of a mixture containing 10 lbs. Of flour and 5 lbs. of water.

$$5 / 10 = 0.50 = 50 \% = \text{AR}$$

PRODUCT	TOOL	BMPM007	BMPM012	BMPM020 / BMPM20A	BMPM030	BMPM040	BMPM060 BMMK60	BMPM080 BMMK80	BMPM120
Egg Whites	Whip	0.4 qts.	0.63 qts.	1 qts.	1.5 qts.	2 qts.	3.1 qts.	4.2 qts.	3.6 qts.
Mashed Potatoes	Beater	4 lbs.	10 lbs.	15 lbs.	22 lbs.	29 lbs.	40 lbs.	60 lbs.	90 lbs.
Mayonnaise (qts. Oil)	Beater	3 qts.	4 qts.	8.5 qts.	12.7 qts.	13.7 qts.	19 qts.	31.7 qts.	40 qts.
Meringue (qts. Water)	Whip	0.25 qts.	0.42 qts.	0.75 qts.	1 qts.	1.5 qts.	2 qts.	3 qts.	4 qts.
Waffle/Pan cake Batter	Beater	3 qts.	4.5 qts.	7.5 qts.	12 qts.	16 qts.	23 qts.	32 qts.	NA
Whipped Cream	Whip	1.8 qts.	2 qts.	4 qts.	6 qts.	9 qts.	12 qts.	16 qts.	25 qts.
Cup Cake / Layer Cake	Beater	6 lbs.	11 lbs.	20 lbs.	30 lbs.	44 lbs.	60 lbs.	88 lbs.	120 lbs.
Sponge Cake (w/ Flour & Butter)	Whip	4 lbs.	7.5 lbs.	13 lbs.	22 lbs.	26.5 lbs.	44 lbs.	80 lbs.	120 lbs.
Sugar Cookie	Beater	3 lbs.	10 lbs.	14 lbs.	22 lbs.	30 lbs.	40 lbs.	60 lbs.	80 lbs.
Bread or Roll Dough (Light/ Medium, 60% AR)	Hook	3 lbs.*	4.4 lbs. of Flour*	10 lbs. of Flour*	16.5 lbs. of Flour*	30 lbs. of Flour**	55 lbs. of Flour**	77 lbs. of Flour**	160 lbs. of Dough Total**
Bread or Roll Dough (Heavy, 55% AR)	Hook	2 lbs.*	3.75 lbs. of Flour*	8 lbs. of Flour*	14.5 lbs. of Flour*	24.5 lbs. of Flour**	49 lbs. of Flour**	66 lbs. of Flour**	120 lbs. of Dough Total**
Thin Pizza Dough, Pasta, Basic Egg Noodle (40% AR, Max 5 Minutes of Mixing Time)	Hook	2 lbs.*	3.3 lbs. of Flour*	6.5 lbs. of Flour*	13.5 lbs. of Flour*	22 lbs. of Flour*	44 lbs. of Flour*	55 lbs. of Flour*	80 lbs. of Dough Total*
Medium Pizza Dough (50% AR)	Hook	2.5 lbs.*	3.3 lbs. of Flour*	6.5 lbs. of Flour*	13.5 lbs. of Flour*	22 lbs. of Flour*	44 lbs. of Flour*	55 lbs. of Flour*	90 lbs. of Dough Total*
Thick Pizza Dough (60% AR)	Hook	3 lbs.*	4.4 lbs. of Flour*	10 lbs. of Flour*	16.5 lbs. of Flour*	30 lbs. of Flour**	55 lbs. of Flour**	77 lbs. of Flour**	100 lbs. of Dough Total**
Raised Donut Dough (65% AR)	Hook	2.5 lbs.*	3.3 lbs. of Flour*	6.5 lbs. of Flour*	13.5 lbs. of Flour*	22 lbs. of Flour*	44 lbs. of Flour*	55 lbs. of Flour*	70 lbs. of Dough Total*
Whole Wheat Dough ( 70% AR)	Hook	3 lbs.*	4.4 lbs. of Flour*	10 lbs. of Flour*	16.5 lbs. of Flour*	30 lbs. of Flour**	55 lbs. of Flour**	77 lbs. of Flour**	120 lbs. of Dough Total**

### Speeds:

\*1st Speed Only

\*\*1st Speed & 2nd Speed Only

### Notes:

- If using high gluten or rice flour, please reduce capacity by 10%.
- If using water colder than 70°F, ice or chilled flour, please reduce capacity by 10%.
- Attachment hub should not be used while mixing.
- Mixer should be powered off when changing speeds
- Mixer must rest for 2-3 minutes after 15-minutes of running.

### Capacity Conversion

- 1 Gallon of Water Weighs 8.33 lbs.
- 1 Liter of Water Weighs 1 kg or 2.2 lbs.
- 1 lb = 0.454 kg / 1 kg = 2.2 lbs.
- 1 US Liquid Quart = 0.946 Liters

*This chart should be used as a guide only. Type of flour and other factors can vary and may require batch size to be adjusted.*

Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Spiral Mixers

The BakeMax BMSM Series Spiral Mixers are designed for mixing heavy dough, such as those used in Bakeries, Pizzerias or Pastry Shops. Their long-lasting stainless-steel bowls can handle 20 – 120kg of dough, depending on model.



Model	Flour Kg/lbs.	Dough Kg/lbs.	Bowl Size	Electrical
BMSM020	11/24	20/44	36Qt.	220V / 7.5A / 1650W 3Ph / 60Hz / Hard Wired
BMSM030	15/33	30/66	53Qt.	220V / 10A / 2200W 3Ph / 60Hz / Hard Wired
BMSM040	25/55	40/88	73Qt.	220V / 12A / 2640W 3Ph / 60Hz / Hard Wired
BMSM050	30/66	50/110	84Qt.	220V / 15A / 3300W 3Ph / 60Hz / Hard Wired
BMSM070	40/88	70/154	105Qt.	220V / 17A / 3740W 3Ph / 60Hz / Hard Wired
BMSM080	50/110	80/176	127Qt.	220V / 23A / 5060W 3Ph / 60Hz / Hard Wired
BMSM120	80/176	120/264	190Qt.	220V / 35A / 7700W 3Ph / 60Hz / Hard Wired



Model	Product Weight	Crated Weight	Crated Dimensions (D x W x H)
BMSM020	328lbs.	370lbs.	27" x 36" x 46"
BMSM030	405lbs.	507lbs.	28" x 42" x 48"
BMSM040	606lbs.	714lbs.	28" x 42" x 50"
BMSM050	661lbs.	782lbs.	28" x 48" x 54"
BMSM060	990lbs.	1147lbs.	30" x 49" x 55"
BMSM080	1190lbs.	1345lbs.	34" x 51" x 59"
BMSM120	2061lbs.	2290lbs.	42" x 67" x 68"



\*When mixing bagel dough and other stiffer doughs, you will need to reduce your capacity by 30%

**Due to continuous product improvement, specifications are subject to change without notice.**

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Spiral Mixers

The BakeMax BMSM BakeMax BMSM160-320 KG Series Spiral Mixer Series Spiral Mixer is designed for mixing heavy dough, such as those used in Bakeries, Pizzerias or Pastry Shops. Their long-lasting stainless-steel bowls can handle 160-320 KG of dough, depending on model.



Model	Flour kg/lbs.	Dough kg/lbs.	Bowl Size	Volts	Phase	Amps	Spiral Arm / Bowl Motor	HZ	Nema Code
BMSM160	100/220	160/352	222 Qt	220	3	27	10 HP / 2 HP	60	Hard Wired
BMSM200	125/275	200/440	282 Qt	220	3	33.75	12 HP / 3 HP	60	Hard Wired
BMSM240	150/330	240/529	285 Qt	220	3	40.5	15 HP / 3 HP	60	Hard Wired
BMSM280	175/385	280/617	353 Qt	220	3	40.5	15 HP / 3 HP	60	Hard Wired
BMSM320	200/440	320/705	400 Qt	220	3	42.75	16 HP / 3 HP	60	Hard Wired

### Shipping Information

Model	Net Weight	Crated Weight	Crated Dimensions (D x W x H)
BMSM160	1,874 lbs. / 850 kg	2,161 lbs. / 980 kg	65" x 42" x 67"
BMSM200	2,028 lbs. / 920 kg	2,315 lbs. / 1,050 kg	70" x 46" x 67"
BMSM240	2,094 lbs. / 950 kg	2,425 lbs. / 1,100 kg	71" x 52" x 68"
BMSM280	2,425 lbs. / 1100 kg	2,778 lbs. / 1,260 kg	73" x 53" x 68"
BMSM320	2,440 lbs. / 1200 kg	3,031 lbs. / 1,370 kg	74" x 55" x 70"



\*When mixing bagel dough and other stiffer doughs, you will need to reduce your capacity by 30%

Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Spiral Mixers with Removeable Bowls

The BakeMax BMRS 120-320 KG Series Spiral Mixer with Removable Bowl is designed for mixing heavy dough, such as those used in Bakeries, Pizzerias or Pastry Shops. Their long-lasting stainless-steel bowls can handle 120-320 KG of dough, depending on model.



Model	Flour kg/lb.	Dough kg/lbs.	Bowl Size	Volts	Phase	Amps	Spiral Arm / Bowl Motor	HZ	Nema Code
BMRS120	75/165	120/265	265 Qt	220	3	30	10 HP & 2 / 1	60	Hard Wired
BMRS160	100/220	160/352	264 Qt	220	3	30	10 HP & 2 / 1	60	Hard Wired
BMRS200	125/275	200/440	305 Qt	220	3	34	12 HP & 2 / 1	60	Hard Wired
BMRS240	150/330	240/529	330 Qt	220	3	34	12 HP & 2 / 1	60	Hard Wired
BMRS280	175/385	280/617	390 Qt	220	3	41	15 HP & 2 / 1	60	Hard Wired
BMRS320	200/440	320/705	430 Qt	220	3	41	15 HP & 2 / 1	60	Hard Wired

### Shipping Information

Model	Net Weight	Crated Weight	Crated Dimensions (D x W x H)
BMRS120	2,646 lbs. / 1,200 kg	2,866 lbs. / 1,300 kg	83" x 43" x 64"
BMRS160	2,756 lbs. / 1,250 kg	3,087 lbs. / 1,400 kg	85" x 46" x 67"
BMRS200	3,086 lbs. / 1,400 kg	3,351 lbs. / 1,520 kg	86" x 52" x 68"
BMRS240	3,218 lbs. / 1,460 kg	3,682 lbs. / 1,670 kg	89" x 52" x 70"
BMRS280	3,307 lbs. / 1,500 kg	3,792 lbs. / 1,720 kg	91" x 53" x 70"
BMRS320	3,527 lbs. / 1,600 kg	3,925 lbs. / 1,780 kg	92" x 54" x 71"



\*When mixing bagel dough and other stiffer doughs, you will need to reduce your capacity by 30%

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.  
1-800-565-2253 [OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Planetary Mixers vs Spiral Mixers

It is very important to fully review your needs when choosing a mixer, as choosing the wrong style or size can slow down the operation of your business. Each mixer has its pros and cons depending on the needs of your application. Here is a list of the main features and benefits of Planetary Mixers vs Spiral Mixers.



**Planetary Mixers**

**All Purpose Mixer** used for whipping, mixing, or beating a wide variety of products.

**Multiple Speed Settings** to accommodate different ingredients - Eggs, Cake Batter, Potatoes, Dough, etc.

**Size Options:** Available in Countertop and Floor Models.

**Bowl Size** is measured in Quarts. We have 7Qt, 12Qt, 20Qt, 30Qt, 40Qt, 60Qt, 80Qt and 120Qt Planetary Mixers.

**Accessories:** These units generally come with an attachment hub to add on accessories like meat grinders, cheese grater and vegetable slicer attachments

**Capacity:** If you plan to use the mixers maximum capacity, please refer to the capacity chart that is provided with the mixer.

**Great for Restaurants, Bakeries, Cafes, Hotels and more.**



**Spiral Mixers**

**Dough Mixer**, great for all kinds of varieties of dough. Pizza, Bagel, Bread, etc.

**Mixer Size** is generally by Flour or Dough weight.

**2 Speed Setting**, which is great for developing your dough.

**First Speed** helps bring the mix together into a consistent mass

**Second Speed** develops the gluten structure of the dough.

**Accessories:** These mixers come with a dough hook and attached bowl. Some models come with a removeable bowl.

**Limitations:** These mixers are only meant for dough and do not come with an accessory hub for attachments.

**Great for Bakeries & Pizza Shops.**

Think Quality - **Think Value** - Think Service - **Think BakeMax**



# Bakery & Pizza Equipment

## Countertop Single Pass Sheeters

The BakeMax BMHA Series Single Pass Dough Sheeter is designed to be compact and to make efficient use of countertop space. The body is constructed of heavy-duty stainless steel, including roller shaft, and safety guard for extra durability and ease of cleaning. Great for Pizza dough, Pie crust and Pasta.



### Features:

- Completely Constructed of Stainless-Steel
- Sheets Dough up to 12" (**BMHA05**) or 18" (**BMHA04**) in Diameter
- Adjustable Rolling Thickness from 0mm-4.76mm
- Single Operator Can Make 300 Pieces Per Hour
- Great for Pizza Dough, Pie Crust and Pasta
- Conforms to all Safety Regulations
- 110V / 2.5A / 370W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- 2-Year Limited Warranty

Model #	Product Dimensions (W x D x H)	Product Weight	Shipping Dimensions (W x D x H)	Shipping Weight
BMHA04	24.4" x 15.7" x 14.4"	49lbs.	33" x 23" x 19"	60lbs.
BMHA05	17.6" x 15.7" x 14.4"	42lbs.	20" x 17" x 19"	53lbs.



Intertek Intertek

## Countertop Pasta Extruder

The BakeMax BMEM010 Countertop Pasta Extruder is the perfect solution for producing fresh pasta for a small to medium sized restaurant. These pasta extruders are the perfect way to introduce fresh pasta to your restaurant's menu without a large footprint. Perfect for restaurants and trattorias.



### Features:

- Mechanical System with Industrial Reducer Coupled with a 1/3HP Motor
- Structure in 430 Stainless-Steel and 304 Stainless-Steel in areas that contact with food
- Bronze Dough Auger Spiral / Snail
- 9 Plastic Drawing Boards: Spaghetti (Thin, Medium & Thick); Tagliatelle (Thin, Thick, Guitar and Soba) and Macaroni (Thin & Thick)
- Capacity of 11lbs (5kg) dough
- Production of up to 10kg of pasta per hour
- 127V / 3.2A / 700W / 60Hz / 1Ph / Plug & Go 5-15P Plug
- Product Dimensions (WDH): 13.7" x 22.4" x 15"
- Product Weight: 85lbs.
- Shipping Dimensions (WDH): 16" x 26" x 19"
- Shipping Weight: 99lbs.
- 1-Year Limited Warranty



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Countertop Double Pass Sheeters

The BakeMax BMHA Series Double Pass Dough Sheeters make efficient use of countertop space & are constructed of heavy-duty stainless steel, including roller shaft for extra durability and ease of cleaning.



Intertek



Intertek



### Features:

- Completely Constructed of Stainless-Steel including Roller Guards & Roller Shaft
- Sheets Dough up to 12" (**BMHA02Y**) or 18" (**BMHA01Y**) in Diameter
- Adjustable Rolling Thickness from 0mm-4.76mm
- Single Operator Can Make 400 Pieces Per Hour
- Great for Pizza Dough, Pie Crust and Pasta
- 110V / 2.5A / 370W / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- 2-Year Limited Warranty

Model #	Product Dimensions (W x D x H)	Product Weight	Shipping Dimensions (W x D x H)	Shipping Weight
BMHA01Y	23.4" x 20.1" x 36.6"	89lbs.	34" x 23" x 34"	111lbs.
BMHA02Y	17.3" x 17.8" x 31.8"	82lbs.	26" x 22" x 36"	93lbs.

The BakeMax BMPS001 Heavy Duty Double Pass 20" Dough Sheeter is an efficient two stage machine featuring a front infeed and discharge. Its ergonomic design makes it easy and simple to operate. Its powerful 1HP motor can sheet up to 600 pieces / hr. and is great for Pizza, Dessert Pie Crusts, Pasta, Focaccia, Roti, Calzones, Flour Tortillas and Pita Bread.

### Features:

- Heavy Duty Design with Flow-Through Sheeting and Automatic Outfeed Belt
- All-In-Front Ergonomic Design saves on Labor and Space
- Heat-Treated Steel Alloy Gear Mechanism
- Adjustable Handle Controls Output Thickness
- Rolling thickness 0.04" - 0.8" (Capable of 1-20 mm)
- 4 Rollers - 2 Pass Action Front Feed, Sheet up to 20" Wide
- Exterior Dimensions (WDH): 27.6" x 32.7" x 32.7"
- Net Weight 298 lbs.
- 110V / 10.4A / 1.5HP / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- Crated Dimensions (WDH): 37" x 33" x 37"
- Crated Weight 398 lbs.
- 1-Year Limited Warranty



Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Countertop Reversible Sheeters

The BakeMax BMCRS Series Countertop Reversible Sheeters are perfect for Bakeries, Pastry Shops, Hotels, Restaurants and more. They are suitable for sheeting and stretching Puff Pastry, Danish Bread, Fondant, Donut Dough, Croissants, Pie Crusts, Cookie Dough, Strudel, Marzipan, and Pizza Dough.



### Features:

- Constructed of Heavy-Duty Steel for extra Durability and Longevity
- Safety Guards with Automatic Shut-Off when Lifted
- Easy-To-Use Forward & Reverse Controls
- Adjustable Thickness between 3-30mm
- Overload Protection prevents motor from damage
- Sides Easily fold up to save room when not in use
- Stainless Steel Rollers
- Heavy Duty Non-Stick Scrapers to help prevent Dough from Sticking to the Rollers
- Synchronized Infeed & Outfeed
- Catch Pans located on each end of the sheeter
- Plug & Go Nema 5-15P Plug
- 1-Year Limited Warranty

### BMCRS01 Technical Specifications:

- Product Dimensions (WDH): 71" x 32" x 24"
- 110V / 7.8A / 0.5 HP / 60Hz / 1Ph\*
- Plug & Go Nema 5-15P Plug
- Product Weight 260 lbs.
- Belt Dimensions: 17" W x 67" L
- Roller Size: 3.5" x 17.7"

### BMCRS01 Shipping Specifications:

- Crated Dimensions (WDH): 32" x 38" x 39"
- Weight 363 lbs.

### BMCRS02 Technical Specifications:

- Product Dimensions (WDH): 71" x 36" x 24"
- 110V / 7.8A / 0.5HP / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- Product Weight 274 lbs.
- Belt Dimensions: 20.5" W x 67" L
- Roller Size: 3.5" x 20.5"

### BMCRS02 Shipping Specifications:

- Crated Dimensions (WDH): 32" x 42" x 39"
- Weight 376 lbs.

\* Available in 220V by Special order (3.9A / Nema 6-15P)



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Floor Model Reversible Sheeters

The BakeMax BMFRS Series Floor Model Reversible Sheeters are perfect for Bakeries, Pastry Shops, Hotels, Restaurants and more. They are suitable for sheeting and stretching Puff Pastry, Danish Bread, Fondant, Donut Dough, Croissants, Pie Crusts, Cookie Dough, Strudel, Marzipan, and Pizza Dough.



### Features:

- Constructed of Heavy-Duty Steel for Extra Durability and Longevity
- Safety Guards feature automatic safety shut off to the unit when either of the guards are lifted
- You can control the sheeting direction by the Foot Pedal or Directional Lever
- Adjustable Thickness between 3-30mm
- Fold-Up End Tables to Save Room
- Stainless-Steel Rollers
- Heavy Duty Non-Stick Scrapers to prevent Dough from Sticking to the Rollers
- Synchronized Infeed & Outfeed
- 1-Year Limited Warranty

Model	Exterior Dimensions (WDH)	Electrical	Net Weight
BMFRS01	32" x 83" x 44"	220V / 1Ph / 7.8A 60HZ / 1HP / 6-15P	344 lbs.
BMFRS02	36" x 83" x 44"	220V / 1Ph / 7.8A 60HZ / 1HP / 6-15P	388 lbs.
BMFRS03	40" x 99" x 44"	220V / 1Ph / 7.8A 60HZ / 1HP / 6-15P	476 lbs.

Model	Belt Dimensions	Roller Size
BMFRS01	17" Width x 79" Length	3.5" x 17.7"
BMFRS02	20.5" Width x 79" Length	3.5" x 20.5"
BMFRS03	25" Width x 95" Length	3.5" x 25.6"

### Shipping Specifications

Model	Crated Dimensions (WDH)	Shipping Weight
BMFRS01	38" x 32" x 75"	502 lbs.
BMFRS02	42" x 32" x 75"	546 lbs.
BMFRS03	48" x 32" x 82"	660 lbs.



Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Dough Molders

The BakeMax BMMDM01 Mini Dough Molder is perfect to produce artisan bread, pretzels, sweet breads, knotted dinner rolls and much more. This moulder will consistently produce uniform bread loaves ranging from 30 – 280 grams / 1.05 – 9.88 oz and can produce up to 2000 pcs / hour.



### Features:

- Heavy-Duty Construction for Durability and Longevity
- Suitable for all kinds of Artisan Breads, Pretzels, Sweet Breads, Knotted Dinner Rolls and much more.
- Consistently Produces Uniform Bread Loaves Ranging from 30 – 280 grams (1.05 – 9.88 oz)
- Belt Width: 11.8"
- Easy Single Person Operation
- Does Not Require any Molding Plates
- Movable Flour Box to Prevent Dough from Sticking
- Hinged-Cover for Easy Cleaning and Maintenance
- Exterior Dimensions (WDH): 54" x 27" x 43"
- 110V / 15A / 750W / 60Hz / 1Ph / Hard Wired
- Net Weight: 440 lbs.
- Crated Dimensions (WDH): 57" x 38" x 48"
- Shipping Weight: 617 lbs.
- 1-Year Limited Warranty



The BakeMax BMFBM01 French Bread Molder is perfect to produce baguettes, finger rollers, long-loaves, petit pans, hot dog buns and various other sized breads. The BMFBM01 sheets through a series of three rollers and the progressive extension of the loaf is accomplished between two conveyor belts running in the opposite direction at varying speeds. This allows for gentle dough handling and a "hand-made" effect. This moulder will consistently produce uniform bread loaves ranging from 50 – 1000 grams / 1.76 – 35.3 oz and can produce up to 3000 pcs / hour.

### Features:

- Suitable for all kinds of Bread; including Sub Rolls, Hot Dog Buns, and French Bread
- Consistently Produces Uniform Bread Loaves Every Time
- Mounted on a Stand with Locking Casters
- Adjustable Molding Thickness is Easily and Accurately Controlled
- Three Roller Design at Opening: the third auxiliary roller makes the dough easy to enter and ensures quality of the shape is even
- Electrical: 220V / 7A / 750W / 60Hz / 3Ph / Hard Wired
- Product Specifications (WDH): 39" x 35" x 61" – 505lbs.
- Shipping Specifications (WDH): 50" x 35" x 41" – 720lbs.
- 1-Year Limited Warranty



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Manual Dough Dividers

The BakeMax BMHBD01 Hand Bun Divider manually divides dough into 36 equal dough portions. Size of dough portions approximately 1oz - 4oz. Great for pizzerias, bakeries, and cafes.



### Features:

- Saves Time and Labor by Effortlessly Dividing Dough into 36 Equal Portions
- Space Saving Design
- Dough Weights from 1oz up to 4oz
- Includes Plastic Dividing Pan
- Can be used with a variety of dough including yeast raised, cookie, pie and even ground meat/sausage for exact portion control
- Exterior Dimensions (WDH) 15" x 20" x 24" (With pressure handle down)
- Net Weight 144 lbs.
- Packaged Dimensions (WDH) 17" x 21" x 29"
- Packaged Weight 176 lbs.
- 1-Year Limited Warranty

\*Available with Stainless-Steel Dividing Pan

The BakeMax America BAHBD02 Hand Bun Divider divides dough into 30 equal dough balls. Size of dough balls approximately 1oz to 2.3oz. Comes mounted on stand.

### Features:

- Helps to save time and labor
- Manually Divides Dough into 30 Equal Dough Balls
- Dough Balls Approximately 1oz – 2.3oz
- Comes Mounted on Table
- Includes Stainless Steel Molding Pan  
Moulder Dimensions 14.5" wide x 18.5" deep with the lever up (25" deep with the lever down) x 23" high with the lever down (39.5" high with the lever up).
- Exterior Dimensions (WDH) 15.2" x 24" x 33"
- Net Weight 97 lbs.
- Packaged Dimensions (WDH) 19" x 32" x 57"
- Shipping Weight 141 lbs.
- 1-Year Limited Warranty



Think Quality - Think Value - Think Service - Think BakeMax

# Bakery & Pizza Equipment

## Semi-Automatic Bun Divider Rounder

The BakeMax BMBD Series Semi-Automatic Dough Divider Rounder offers superior rounding, durability and increased production for Bakeries, Pizzerias and Factory Operations. The machine divides and rounds dough with ease and allows you to make different types of rolls, pizza dough balls, donuts and more with varying weight ranges and sizes in the same machine.



### Features:

- Heavy-Duty Construction for Durability and Longevity
- Easily Divides & Rounds up to 7.9lbs of dough into 30-36 (1.06-4.23oz) Dough Balls
- Quiet Operation with Minimal Vibration when Bolted
- Cutting Blades formed in #304 Stainless-Steel, anti-rust, sanitary, and easy to clean with its tilting head
- Divide and Round dough with ease and easily adjusts for different dough weights
- Hourly production of up to 3,500 pieces (depending on operator and workflow)
- Permanent lubrication to protect transmission
- Manual motor start with built-in thermal overload protection.
- Comes standard in single phase and is available in 3 phases by special order
- Includes 3 Molding plates
- 1-Year Limited Warranty

### Technical Specifications

Model	Divider Range	Pieces	Electrical	Dimensions (WDH)	Weight
BMBD030*	1.41 - 4.23 oz / 40 - 120 g	30	220V / 10A 60HZ / 1PH	25.2" x 30.7" x 52" (81" with the lever up)	728 lbs.
BMBD036*	1.06 - 3.53 oz / 30 - 100 g	36	220V / 10A 60HZ / 1PH	25.2" x 30.7" x 52" (81" with the lever up)	728 lbs.

\*Available in 3Ph by Special Order (220V / 8A)

### Shipping Specifications

Model	Dimensions (WDH)	Weight
BMBD030	29" x 35" x 62"	806 lbs.
BMBD036	29" x 35" x 62"	806 lbs.

**\*\*BakeMax BMBDF36 Fully Automatic 36 Division  
Bun Divider Rounder (Special Order)**



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Hydraulic Dough Divider

The BakeMax BMBT030 Hydraulic Dough Divider gently divides up to 16kg of dough into 20 even pieces. Simple & Safe to operate, the square chamber minimizes pressure on dough combining performance and speed. This unit is perfect for small to large scale bakeries and other food service operations.



### Features:

- Effortlessly manage up to 20 pieces of dough, streamlining your production process.
- Utilizes a sophisticated hydraulic system for precise and consistent dough processing, ensuring optimal results every time.
- Designed with a focus on efficiency, this unit minimizes downtime and maximizes productivity in your bakery operations.
- Built with a steel frame & stainless-steel cutting knives to withstand the rigors of daily commercial use, ensuring long-lasting performance.
- Ergonomic controls make it easy for operators to manage and adjust settings, promoting a user-friendly experience.
- Mounted on two locking swivel casters and two non-locking swivel casters.
- Single lever controls pressure plate and knives.
- Simple to operate and virtually maintenance free.
- The round chamber minimizes pressure on dough, combining performance, speed, and work comfort
- Dough Capacity: 3 -16 kg (6.6 - 35 lbs.)
- Dividing Weight: 150 – 800 g (5.29 – 28.22oz)
- Number of Division: 20
- Dimensions of Dividing Chamber 100 x 100 mm (3.94" x 3.94")
- 1-Year Limited Warranty



### Technical Specifications:

- Exterior Dimensions (WDH): 25.2" x 26.2" x 47.3"
- 220V / 7A / 1500W / 60Hz / 3Ph / Hard Wired
- Net Weight 717lbs.

### Shipping Specifications:

- Crated Dimensions (WDH): 30" x 30" x 53"
- Crated Weight 805lbs.

Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Automatic Dough Ball Rounders

Streamline your dough prep with BakeMax Dough Ball Rounders, designed to handle a rounding range from 30–1200g quickly and effortlessly. Ideal for bakeries and pizza shops, our models—BMDBR01 and BMDBR02—deliver consistent, strain-free results and pair seamlessly with the BMCCD01 Continuous Dough Divider for maximum efficiency. Whatever your production needs, BakeMax has the perfect solution.



### BMDBR01 Features:

- Portions Ranging from 1.05 - 10.6oz (30g - 300g)
- Comes with Three Interchangeable Heads
- Constructed with a 304-carbon steel with white epoxy finish.
- Includes 3 interchangeable heads for adjustable rounding ranges:
  - Small: 1.05 oz – 3.5 oz (30g - 99.2g)
  - Medium: 3.5 oz – 7 oz (99.2g – 198g)
  - Large: 7 oz – 10.6 oz (198.4g – 300g)
- Output: Up to 1,200 pcs / hour
- 1-Year Limited Warranty



### BMDBR02 Features:

- Sturdy and durable, built with high-quality materials for long-lasting performance in commercial kitchens or bakeries
- Handles portion sizes from 1.05 to 12.5 oz (30–350g) at 700–900 pieces/hour.
- Customizable stroke, rotation, and oscillation for precise dough texture.
- Ensures consistent, reliable performance with advanced technology for professionals and beginners.
- Ideal for rustic, rye, sourdough, multigrain, and specialty breads with enhanced proofing.
- Meticulous molding creates a unique seam, adding a touch of craftsmanship to the final product.
- 1-Year Limited Warranty

Model	Exterior Dimensions (WDH)	Net Weight	Packaged Dimensions (WDH)	Shipping Weight	Electrical	Plug
BMDBR01	25.2" x 26.2" x 47.3"	110lbs.	30" x 30" x 53"	190lbs.	110V / 8A 60Hz 1Ph	Plug & Go NEMA 5-15P
BMDBR02	29" x 26" x 20"	115lbs.	31.5" x 30.3" x 26"	176lbs.	110V / 7A 60Hz 1Ph	Plug & Go NEMA 5-15P

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Automatic Dough Ball Rounders

The BakeMax BMDBR03 Dough Ball Rounder can quickly round bread or pizza dough without strain. Portions ranging from 70 - 1,200 grams without any need to change parts or accessories. The BMDBR03 / BMDBR3L processes each portion 50 times to ensure they come out round and perfectly closed, ready to rise, as if they were rounded manually. The BMDBR03 / BMDBR3L can produce up to 300 Kg depending on dough portions.



Intertek

### Technical Specifications:

- BMDBR03 Exterior Dimensions (WDH): 30" x 30" x 16"
- BMDBR03 Net Weight 135 lbs.
- BMDBR3L Exterior Dimensions (WDH): 30" x 30" x 42"
- BMDBR3L Net Weight 163 lbs.
- 115V / 7A / 370 W / 60Hz / 1Ph
- Nema 5-15P Plug

### Shipping Specifications:

- BMDBR03 Packaged Dimensions (WDH): 31" x 31" x 32"
- BMDBR03 Packaged Weight: 195 lbs.
- BMDBR3L Packaged Dimensions (WDH): 31" x 31" x 42"
- BMDBR3L Packaged Weight: 219 lbs.

### Features:

- Constructed of High-Quality Stainless Steel and Anodized Aluminum
- Open operation concept guarantees a continuous visual control that eliminates any possibility or mechanical jam. Allowing for an easier and more accurate cleaning.
- Saves Time and Labor with its Automaticity
- No Parts or Accessories needed to change Rounding Capacity
- Processes each portion 50 times to ensure they come out round and perfectly closed, without causing any strain to the dough.
- Rounding Range: 70 to 1,200 Grams
- Output: 40-300KG Per Hour
- 2 Year Limited Warranty



**\*Available with Legs and Casters Model # BMDBR3L**

**Think Quality - Think Value - Think Service - Think BakeMax**



# Bakery & Pizza Equipment

## Automatic Countertop Dough Divider

The BakeMax BMCCD01 Countertop Continuous Dough Divider divides dough fast and efficiently. Comes with a 33lb dough hopper and power outfeed belt. This unit is great for pizza, bread, and other types of dough. This unit has a production output of 500-2000 pieces per hour, depending on the operator.



### BMCCD01 Features:

- Constructed with 304 Stainless-Steel.
- Safety Switches on Top & Side Door to shut off power to the machine when either door is opened.
- The conveyor belt from the unit can be used to feed into the BMDBR01, BMDBR02 or BMDBR03 Dough Ball Rounders.
- Includes 4 scaling cones, offering a range of 30 - 350g (1.058oz – 12.35oz)
- Electrical: 110V / 9.5A / 1100W / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- Exterior Dimensions (WDH): 26" x 36" x 24" – 235lbs
- Shipping Dimensions (WDH): 27" x 43" x 36" – 288lbs
- 1-Year Limited Warranty



## Automatic Countertop Dough Divider & Rounder Combo

BakeMax Divider Rounder Combo units are composed of one dough divider and one dough rounder and are made to be completely automatic. They prepare and round and perfectly closed dough portions of different weights with ease, saving time and labor. These machines are very easy to disassemble and to clean. This machine is manufactured according to sanitary and safety norms. Includes a BMDBR03 Dough Ball Rounder.



### BMDD003 Features:

- Constructed of High-Quality Stainless Steel
- Saves Time and Labor with its Automaticity
- New Photocell Sensor measuring technology for precision cutting
- The dough ball rounder processes each portion 50 times to ensure they come out round and perfectly closed, without causing any strain to the dough.
- Removable Dough Hopper that can hold up to 44 Liters of Dough
- Dividing Range: 70 – 250 grams. (2.5 - 8.8oz)
- Rounding Range: 70 to 1,200 grams
- Output: 70-200 kg per hour
- Exterior Dimensions (WDH): 29.1" x 35.8" x 40.2"
- Net Weight: 384lbs.
- 115V / 15A / 1120W / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- Packaged Dimensions: (WDH): 32.3" x 39.4" x 47.2"
- Packaged Weight: 441lbs.
- 2-Year Limited Warranty



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Floor Model Automatic Dough Divider Rounder Combo

### BMDD005 Features:

- Constructed of High-Quality Stainless Steel
- Saves Time and Labor with its Automaticity
- New Photocell Sensor measuring technology for precision cutting
- The Dough Ball Rounder processes each portion 50 times to ensure they come out round and perfectly closed, without causing any strain to the dough.
- Dough Hopper holds up to 44 Liters of Dough
- Dividing Range: 180 – 550 grams (6.4oz – 19.4oz)
- Rounding Range: 70 – 1200 grams (2.5 – 42.3oz)
- Dough Output: 70-400 kg per hour
- Exterior Dimensions (WDH): 28.4" x 33.9" x 63.4"
- Product Weight 474lbs.
- 115V / 13A / 1300W / 60Hz / 1 Phase
- Standard Plug & Go Nema 5-15P Plug.
- Packaged Dimensions (WDH): 31.9" x 35.8" x 68.5"
- Packaged Weight 530lbs.
- 2-Year Limited Warranty



### BMDD007 Features:

- Constructed of High-Quality Stainless Steel
- Saves Time and Labor with its Automaticity
- New Photocell Sensor measuring technology for precision cutting
- The Dough Ball Rounder processes each portion 50 times to ensure they come out round and perfectly closed, without causing any strain to the dough.
- Dough Hopper holds up to 44 Liters of Dough.
- Dividing Range: 260g-1100g (9.17oz - 38.8oz)
- BMDBR3L Rounding Range: 70g - 1200g
- Output: 70-500 kg per hour
- Exterior Dimensions (WDH) 28.4" x 33.9" x 63.4"
- Product Weight 485lbs.
- 115V / 13A / 1300W / 60Hz / 1 Phase
- Standard Plug & Go Nema 5-15P Plug.
- Packaged Dimensions (WDH) 32" x 35.8" x 68.5"
- Packaged Weight 540lbs.
- 2-Year Limited Warranty

Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Manual Pizza Presses

The BakeMax BMDM Series of Manual Pizza Presses are perfect for low to medium production volumes. It is a fast, safe, simple, mess free alternative to hand tossing or sheeting/rolling your pizza dough. Our dough presses are an easy, affordable way to improve your production time, as well as your finished product.



Model	BMDMS18	BMDMS218	BMDM18	BMDM18NH
<b>Production Volume</b>	9"-18" = 75-100/hr. 7"-9" = 150 200/hr. 6" = 300-400/hr.	9"-18" = 75-100/hr. 7"-9" = 150 200/hr. 6" = 300-400/hr.	9"-18" = 75-100/hr. 7"-9" = 150 200/hr. 6" = 300-400/hr.	9"-18" = 75-100/hr. 7"-9" = 150 200/hr. 6" = 300-400/hr.
<b>Platens</b>	Upper Heated	Dual-Heat	Upper Heated	No Heat
<b>Design</b>	Swing-away	Swing-away	Clamshell	Clamshell
<b>Manual / Auto</b>	Manual	Manual	Manual	Manual
<b>Thickness Range</b>	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"
<b>Temperature Range</b>	0-400°F, 204°C	0-400°F, 204°C	0-200°F, 93°C	No Heat
<b>Electrical</b>	120V / 10A / 1150W / 60 Hz 1 Ph / 5-15P	120V / 10A 1150W / 60 Hz 1Ph / Plug & Go 5-15P	120v / 9.8a / 1150w 60 Hz / 1Ph / Plug & Go 5-15P	N/A
<b>Dimensions (WDH)</b>	18" x 24.5" x 20"	18" x 24.5" x 20"	18" x 28" x 31"	18" x 28" x 31"
<b>Net Weight</b>	140lbs.	140lbs.	92lbs.	92lbs.
<b>Shipping (WDH)</b>	33" x 25" x 23"	33" x 25" x 23"	20" x 35" x 24"	20" x 35" x 23"
<b>Shipping Weight</b>	150lbs.	150lbs.	100lbs.	100lbs.
<b>Warranty</b>	1 Year Parts & Labor	1 Year Parts & Labor	1 Year Parts & Labor	1 Year Parts & Labor

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Manual Pizza & Tortilla Presses



Model	BMDXEW	BMDXESS	BMTXMSS	BMTXMW
<b>Production Volume</b>	9"-18" = 150-200/hr. 7"-9" = 300-400/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.
<b>Platens</b>	Single-Heat	Single-Heat	Dual-Heat	Dual-Heat
<b>Design</b>	Swing-Away	Swing-Away	Swing-Away	Swing-Away
<b>Manual/Auto</b>	Manual	Manual	Manual	Manual
<b>Thickness Range</b>	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"
<b>Temp Range</b>	0-450°F, 232°C	0-450°F, 232°C	0-450°F, 232°C	0-450°F, 232°C
<b>Electrical</b>	120V / 11A / 1300W 60Hz / Plug & Go Nema 5-15P Plug	120V / 11A / 1300W 60Hz / Plug & Go Nema 5-15P Plug	220V / 15A 3600W / 60Hz NEMA 6-20P Plug	220V / 15A 3600W / 60Hz NEMA 6-20P Plug
<b>Dimensions (WDH)</b>	21.5" x 25" x 26.5"	21.5" x 25" x 26.5"	26" x 29" x 36"	21.5" x 25" x 26.5"
<b>Net Weight</b>	217lbs.	217lbs.	205lbs.	217lbs.
<b>Shipping (WDH)</b>	40" x 30" x 33"	40" x 30" x 33"	40" x 30" x 33"	40" x 30" x 33"
<b>Shipping Weight</b>	240lbs.	240lbs.	225lbs.	235lbs.
<b>Warranty</b>	1-Year Parts & Labor	1-Year Parts & Labor	1-Year Parts & Labor	1-Year Parts & Labor

Think Quality - Think Value - Think Service - Think BakeMax

# Bakery & Pizza Equipment

## Fully Automatic Pizza & Tortilla Presses

The BakeMax Automatic pizza presses are perfect for high production volumes. BakeMax dough presses are an easy affordable way to improve your production time as well as your finished product. Set your time, temperature, and thickness, and it will give you consistent results every time.



Model	BMDXEW	BMDXESS	BMTXE218W	BMTXE218SS
<b>Production Volume</b>	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.	9"-18" = 150-200/hr. 7"-9" = 300-400/hr. 6" = 600-800/hr.
<b>Platens</b>	Single-Heat	Single-Heat	Dual-Heat	Dual-Heat
<b>Design</b>	Swing-Away	Swing-Away	Swing-Away	Swing-Away
<b>Manual/Auto</b>	Auto-Electric	Auto-Electric	Auto-Electric	Auto-Electric
<b>Thickness Range</b>	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"	1/16"-7/8"
<b>Temp Range</b>	Off-450°F, 232°C	Off-450°F, 232°C	Off-450°F, 232°C	Off-450°F, 232°C
<b>Electrical</b>	120V / 11A / 1300W 60Hz / Plug & Go Nema 5-15P	120V / 11A / 1300W 60Hz / Plug & Go Nema 5-15P	208-240V / 15.5A 3700W / 60Hz NEMA 6-20P	208-240V / 15.5A 3700W / 60Hz NEMA 6-20P
<b>Dimensions (WDH)</b>	21.5" x 25" x 26.5"	21.5" x 25" x 26.5"	21.5" x 25" x 26.5"	21.5" x 25" x 26.5"
<b>Net Weight</b>	217lbs.	217lbs.	217lbs.	217lbs.
<b>Shipping (WDH)</b>	40" x 30" x 33"	40" x 30" x 33"	40" x 30" x 33"	40" x 30" x 33"
<b>Shipping Weight</b>	240lbs.	240lbs.	235lbs.	235lbs.
<b>Warranty</b>	1-Year Parts & Labor	1-Year Parts & Labor	1-Year Parts & Labor	1-Year Parts & Labor

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery & Pizza Equipment

## Manual Tortilla Presses

The BakeMax economy tortilla presses are designed for low to medium production volumes. These manual tortilla presses increase production & are great for either flour or corn tortillas and flat breads.



BMTXM15

The BMTXM15 features 15" x 15" platens capable of making four tortillas at once. The BMTXM15 is a swing-away design with upper and lower heated platens.



BMTXM20

The BMTXM20 is fast, safe, simple, and mess free. The 16" x 20" platen can make up to six tortillas at once. The BMTXM20 is a clam-shell design with both upper and lower heated platens. This unit minimizes counterspace and speeds up production.

## Manual Meat Presses

Good chefs know the value of a perfect paillard—thin, even cuts that cook quickly and cover more of the plate. Before, it meant messy, inconsistent pounding. Now, with our Meat Presses, it's as easy as pulling a handle. Fast, efficient, and easy to use, they boost production without sacrificing quality.



BMTXM15CP



BMDXMCPW



BMDXMSSCP



Think Quality - Think Value - Think Service - Think BakeMax



# Bakery & Pizza Equipment

## Tortilla Warmers

Nothing entices the appetite better than the smell of fresh, hot tortillas. The BakeMax BMTXW line of tortilla warmers work alone or coupled with a BakeMax tortilla press for a complete tortilla package. After pressing the tortillas, finish them off on a tortilla warmer. Each warmer is designed to heat evenly and reach temperatures of 425°F (218°C) giving those tortillas a fresh tortilla taste and smell.



### Features

- Heavy-Duty Stainless-Steel Finish
- Speeds Up Production
- Reduces Labor Cost
- Quick Heating Elements for efficient even surface heating.
- Single Calrod for Even Heating and Eliminates any Cold Spots
- Safety Heat Guard Rail
- Temperature Control Dial with Indicator Light
- Adjustable Legs
- Sleek, Modern, Durable & Easy-to-Clean Design
- Temperature Range of 0 - 425°F (218°C)
- 1-Year Warranty



Model	BMTXW1620	BMTXW2025	BMTXW4025
Production	700/hr.	1000/hr.	2000/hr.
Size	16" x 20"	20" x 25"	40" x 25"
Manual/Auto	Manual	Manual	Manual
Temperature Range	Off-425°F	Off-425°F	Off-425°F
Electrical	120V / 60Hz / 1750W 15.5a / NEMA 5-15P	220V / 60Hz / 3500W 16A / NEMA 6-15P	208v / 60Hz / 3200W 15.4a / NEMA 6-20P
Dimensions (WDH)	18" x 21.5" x 6.2"	23" x 27" x 6.2"	43" x 27" x 6.2"
Net Weight	50lbs.	78lbs.	155lbs.
Shipping (WDH)	23" x 28" x 15"	23" x 28" x 29"	23" x 34" x 24"
Shipping Weight	55lbs.	83lbs.	160lbs.
Warranty	1 Year Parts & Labor	1 Year Parts & Labor	1 Year Parts & Labor

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Bakery Equipment

## Soft Crusted Bread Slicer

The BakeMax BMGF Series Bread Slicer is a reliable high-quality tabletop slicer that can be used for continuous operation. Great for all types of soft crust breads and suitable Bakeries, Supermarkets, Hotels, Restaurants and more. Includes Last Loaf Pusher and Bread Bagger.



### Features:

- Attractive Space Saving Countertop Design
- Gravity Feed Chute can hold Multiple Loaves at a time
- Capable of Slicing Bread up to 15" wide and 6" high
- Last Loaf Pusher keeps hands clear from Cutting Blades
- Includes a Bagging Scoop bags bread with ease
- High Quality Slicing Blades
- Six Slice Thicknesses Available (7/16", 1/2", 9/16", 5/8", 3/4" and 1")
- 1-Year Limited Warranty

### Technical Specifications:

- Exterior Dimensions (WDH): 30" x 26" x 32"
- Electrical: 120V / 190W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- Product Weight: 165 lbs.

### Shipping Specifications:

- Crated Dimensions (WDH): 31" x 27" x 34"
- Crated Weight: 200 lbs.



## Artisan Safety Bread Slicer

The BakeMax BMSS001 Artisan Safety Bread Slicer is a durable, high-quality tabletop slicer built for continuous use. It features an interlocked safety guard and powered loaf pusher for safe operation, driven by a 1/2 HP motor. Ideal for hard-crust breads, it's perfect for bakeries, supermarkets, hotels, and restaurants. Includes a packing shelf, crumb drawer, last loaf pusher, and bread bagger.



### Features:

- Slices up to 120 loaves of bread per hour
- 5/8" Slicing Thickness
- Safety Guard Closes Automatically when the operating handle is in use
- Capable of Slicing Bread up to 15" wide and 6" high
- Meets All Quebec Safety Standards
- Electrical: 120V / 375W / 8A / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- Product Weight: 253lbs.
- Crated Weight: 310lbs.
- Product Dimensions (DWH): 30" x 28.5" x 32.75"
- Shipping Dimensions (WDH): 40" x 40" x 41"
- 1-Year Limited Warranty



Think Quality - Think Value - Think Service - Think BakeMax



# Titan Series Pizza Warmer

## Titan Series Pizza Warmer

Brilliantly display your pizzas and increase impulse sales with the BakeMax BMPW418 Titan Series Pizza Warmer. Designed with a stainless-steel construction and able to hold (4) 18" Pizzas on its rotating chrome plated shelves. Keep your pizza at the ideal temperature with digital temperature and humidity controls and show it off with interior florescent lighting. This unit is great for any pizza shop or concession stand.



### Features:

- Stainless-Steel Construction
- 4-Tier Rotating Chrome Plated Shelves (Holds up to (4) 18" Pizzas at a time)
- Digital Temperature Control that ranges from 30-90°C (86-194°F)
- Adjustable Humidity Control
- Tempered Glass Door and Side Panels
- Interior LED Lighting
- Exterior Dimensions (WDH): 25.5" x 23.75" x 27.75"
- 120V / 15A / 1700W / 60Hz / 1Ph
- Plug & Go Nema 5-15P Plug
- Net Weight 71lbs.
- Packaged Dimensions (WDH): 28" x 28" x 30"
- Packaged Weight 78lbs.
- 1-Year Limited Warranty



Easy Access  
Water Reservoir



Digital Temperature  
& Humidity Controls



**BMPW418 Pizza Warmer  
with Door Open**

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Water Meters

## BakeMax BMW Series Water Meters



Model # BMWS15



Model # BMW015

### Features:

- **BMWMS15** is constructed entirely of stainless steel and automatically mixes the hot & cold water to the set temperature, all the water connections are on the bottom.
- **BMW015** is constructed of a durable plastic & automatically mixes the hot & cold water to the set temperature, the input water connections are on the sides.
- **BMW010** is constructed of a durable plastic, and you must mix the hot & cold water yourself to your desired temperature.
- Saves Time and Easy to Operate
- Dispenses Precise Amount of Water to make Perfect Dough Every Time
- Capable of Displaying Temperature in Celsius and Fahrenheit.
- Digital Display Measures in Liters, Gallons, and Pounds.
- Flow Rate of up to 3000 Liters/Hour
- 110V / 1A / 50/60Hz
- Plug & Go Nema 5-15P Plug
- 2-Year Limited Warranty



Mixer Bowl Hose  
Part # WM015/HOSE

Think Quality - Think Value - Think Service - Think BakeMax



# Water Meters

## BakeMax BMW Series Water Meters

### Connections

Model	Pipes
BMWM010	IN 3/4 " F / OUT 3/4 " M
WMS15 & WM015	3/4 "M

Capacity (All Models)	Measurement	Temperature
Maximum	999	40°C / 104°F
Minimum	0.1	0°C / 32°F

Measurement	Setting
Pounds	32
Liters	70
US Gallon	264
Imperial Gallon	318

### BMWM010 Specifications:

- Product Dimensions (WDH): 10" x 3.2" x 12"
- Shipping Dimensions (WDH): 12" x 5" x 12"
- Shipping Weight: 10 lbs.

### BMWM015 Specifications:

- Product Dimensions (WDH): 12" x 4" x 13"
- Shipping Dimensions (WDH): 14" x 6" x 17"
- Shipping Weight: 15 lbs.

### BMWMS15 Specifications:

- Product Dimensions (WDH): 15.5" x 5" x 12"
- Shipping Dimensions (WDH): 17" x 9" x 15"
- Shipping Weight: 15 lbs.

### Electrical Specifications (All Models):

- 110V / 1A / 60Hz / 1Ph / Nema 5-15P Plug



Inside View of  
BMWMS15



Model # BMWM010

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Artisan Stone Deck Ovens

The BakeMax Electric Artisan Stone Deck Oven are European in design and performance. The ovens are designed for high volume baking, pizza, and all-purpose operations. Unique in both design and technology, our ovens are not only an excellent baking solution, but also offer a contemporary style serving as a centerpiece for today's high-end baking industry. Its versatility makes it suitable for a wide range of products. This modular oven is suitable for any production capacity; the number of decks can be gradually increased as your business grows. Available in pan widths ranging from one through four pans wide and up to four decks high. Optional proofers and storage cabinets available for the one, two and three pan wide ovens.



Two Pan Wide Deck Oven  
with Optional Proofer



Intertek

### Robust Construction:

- Crafted with a durable stainless steel front exterior and a high-grade steel chamber for lasting performance.
- Fully insulated with rock wool to prevent heat loss and ensure superior efficiency.

### Customizable Decks:

- Separate steel decks, providing flexibility to add or remove decks based on your business requirements.

### Visibility and Appeal:

- Adjustable doors with large tempered glass windows for a clear view of cooking products, creating an attractive selling point for customers.

### User-Friendly Controls:

- Power on-off rocker switch for each deck.
- Digital temperature controllers with LED display and temperature-ready indicators for precise control.

### Advanced Temperature Management:

- Sensitive K-type thermocouple sensors for accurate temperature readings.
- Maximum baking temperature of 600°F

### Spacious Interior:

- Accommodates 18" x 26" Full-Size Pans



### Efficient Timers:

- 99-minute digital timers with LED display and continuous ring alarm, controlled by convenient rocker switches.

### Illumination and Moisture Control:

- Chamber oven light controlled by rocker switches.
- Moisture control dampers for customized cooking conditions.

### Crunchy Bottom Crust:

- Includes a stone hearth for a crispier bottom crust and a more golden-brown finish. The stone decks are designed to eliminate thermal expansion issues.

### Smart Steam Generation:

- Compartment Steam Generator above heating elements absorbs and recycles upward heat, generating strong steam without consuming extra electric power for rapid recovery.

### Optimal Heat Distribution:

- Independent, operator-controlled top and bottom heating elements ensure uniform heat distribution.
- Digital thermostats for top and bottom elements offer infinite adjustments, providing optimal thermal conditions for various baking needs.

Think Quality - Think Value - Think Service - Think BakeMax

# Cooking Equipment

## Artisan Stone Deck Ovens

Single Pan Wide Model	# of Decks	Electrical	Net Weight	Chamber Dimensions (WDH)	External Dimensions (WDH)	Crated Dimensions (WDH)	Crated Weight
BMSD001	1 Deck	220V / 3PH / 16A / 4kW / 60Hz	397 lbs.	30" x 21" x 7"	47" x 34.5" x 52"	53" x 40" x 60"	463 lbs.
BMSD002	2 Deck	220V / 3PH / 24A / 8kW / 60Hz	772 lbs.	30" x 21" x 7"	47" x 34.5" x 69.3"	53" x 40" x 76"	882 lbs.
BMSD003	3 Deck	220V / 3PH / 32A / 12kW / 60Hz	948 lbs.	30" x 21" x 7"	47" x 34.5" x 73"	53" x 40" x 80"	1125 lbs.
BMSD004	4 Deck	220V / 3PH / 40A / 16kW / 60Hz	1213 lbs.	30" x 21" x 7"	47" x 34.5" x 83"	53" x 40" x 91"	1389 lbs.
Two Pan Wide Model	# of Decks	Electrical	Net Weight	Chamber Dimensions (WDH)	External Dimensions (WDH)	Crated Dimensions (WDH)	Crated Weight
BMDDD01	1 Deck	220V / 3PH / 28A / 6kW / 60Hz	485 lbs.	38.1" x 31" x 7"	55.5" x 42.5" x 52"	62" x 48" x 60"	618 lbs.
BMDDD02	2 Deck	220V / 3PH / 42A / 12kW / 60Hz	992 lbs.	38.1" x 31" x 7"	55.5" x 42.5" x 69.3"	62" x 48" x 76"	1213 lbs.
BMDDD03	3 Deck	220V / 3PH / 55A / 18kW / 60Hz	1676 lbs.	38.1" x 31" x 7"	55.5" x 42.5" x 73"	62" x 48" x 80"	1940 lbs.
BMDDD04	4 Deck	220V / 3PH / 69A / 24kW / 60Hz	2161 lbs.	38.1" x 31" x 7"	55.5" x 42.5" x 83"	62" x 48" x 91"	2403 lbs.
Three Pan Wide Model	# of Decks	Electrical	Weight	Chamber Dimensions (WDH)	External Dimensions (WDH)	Crated Dimensions (WDH)	Crated Weight
BMTD001	1 Deck	220V / 3PH / 35A / 9kW / 60Hz	617 lbs.	57.3" x 31" x 7"	75" x 42.5" x 52"	81" x 48" x 60"	728 lbs.
BMTD002	2 Deck	220V / 3PH / 54A / 18kW / 60Hz	1433 lbs.	57.3" x 31" x 7"	75" x 42.5" x 69.3"	81" x 48" x 76"	1654 lbs.
BMTD003	3 Deck	220V / 3PH / 71A / 27kW / 60Hz	2161 lbs.	57.3" x 31" x 7"	75" x 42.5" x 73"	81" x 48" x 80"	2492 lbs.
BMTD004	4 Deck	220V / 3PH / 95A / 36kW / 60Hz	2726 lbs.	57.3" x 31" x 7"	75" x 42.5" x 83"	81" x 48" x 91"	3087 lbs.
Four Pan Wide Model	# of Decks	Electrical	Weight	Chamber Dimensions (WDH)	External Dimensions (WDH)	Crated Dimensions (WDH)	Crated Weight
BMFD001	1 Deck	220V / 3PH / 40A / 10kW / 60Hz	771lbs.	74.6" x 31" x 7"	92" x 42.5" x 52"	98" x 48" x 60"	948 lb.
BMFD002	2 Deck	220V / 3PH / 61A / 20kW / 60Hz	1500 lbs.	74.6" x 31" x 7"	92" x 42.5" x 69.3"	98" x 48" x 76"	1720 lb.
BMFD003	3 Deck	220V / 3PH / 80A / 30kW / 60Hz	2425 lbs.	74.6" x 31" x 7"	92" x 42.5" x 73"	98" x 48" x 80"	2822 lb.
BMFD004	4 Deck	220V / 3PH / 100A / 40kW / 60Hz	3043 lbs.	74.6" x 31" x 7"	92" x 42.5" x 83"	98" x 48" x 91"	3374 lb.

Single Pan Wide Optional Accessories	Description
BMSDDP1	Proofer for Single, Double & Triple Deck Oven
BMSDDS1	Storage Cabinet for Single, Double & Triple Deck Oven
Two Pan Wide Optional Accessories	Description
BMDDDP1	Proofer for Single, Double & Triple Deck Oven
BMDDDS1	Storage Cabinet for Single, Double & Triple Deck Oven
Three Pan Wide Optional Accessories	Description
BMTDP01	Proofer for Single, Double & Triple Deck Oven
BMTDS01	Storage Cabinet for Single, Double & Triple Deck Oven

\*Pan Width is based on 18" x 26" Full Size Pans

\*\*CAUTION: STONE HEARTH MUST BE SEASONED BEFORE USE

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)



# Cooking Equipment

## Electric Pizza Deck Ovens

The BakeMax BMBPEB Series Electric Pizza Deck Ovens are reliable, versatile, and built for professional baking. Each chamber features an 8" refractory baking deck with independent top and bottom heat for perfect results. The heavy-duty, fully welded frame allows double stacking, while the insulated stainless-steel exterior ensures consistent temps and a cooler surface.



### Features:

- Constructed of Hygienic & Easy-to-Clean Stainless-Steel, its Heavy-Duty Frame allows for Double Stacking
- Oven exteriors are all heavy-duty stainless steel and are fully insulated for cooler outer temperatures and consistent interior temperatures
- Each oven chamber features two refractory baking hearth stones with an 8" deck height and independently controlled top and bottom heat for perfectly balanced results
- Temperature Range from 0-752°F (400°C)
- Spring-balanced, fully insulated doors.
- Open door lies flush to hearth stone for easy loading and unloading
- Each deck can hold up to Nine (BMBPEB915) or Twelve (BMPEB125) 9" Pizzas at a time
- 2-Year Limited Warranty

### Model # BMBPEB915 Specifications:

- 208V / 25A / 9000W / 3 Ph
- 208V / 43.2A / 9000W / 1 Ph
- Oven Inner Dimensions:  
36" Wide x 36" Deep
- Product Dimensions (WDH):  
51.5" x 46.1" x 49.1"
- Product Weight: 717lbs.
- Shipping Dimensions (WDH):  
54" x 51" x 33"
- Shipping Weight: 827lbs.

### Model # BMBPEB125 Specifications:

- 208V / 31.25A / 11250W / 3 Ph
- 208V / 54A / 11250W / 1 Ph
- Oven Inner Dimensions:  
48" Wide x 36" Deep
- Product Dimensions (WDH):  
63.6" x 46.13" x 49.12"
- Product Weight: 904 lbs.
- Shipping Dimensions (WDH):  
68" x 51" x 33"
- Shipping Weight: 1037 lbs.



Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Gas Pizza Deck Ovens

The BakeMax BMBPD Series Gas Pizza Ovens are durable, professional-grade ovens with independently controlled top and bottom heat for even baking. Built with a welded heavy-duty angle iron frame for double stacking, they feature fully insulated stainless steel exteriors and spring-loaded, heat-retaining doors. Independent heat dampers ensure crispy crusts without burning toppings, and removable heavy-duty flame diverters make cleaning easy.



### Features:

- Oven exteriors are all heavy-duty stainless steel and are fully insulated for cooler outer temperatures and consistent interior temperatures
- Each oven chamber features two refractory baking hearth stones with an 8" deck height and independently controlled top and bottom heat for perfectly balanced results
- Temperature Range from 0-752°F
- Spring-balanced, fully insulated doors.
- Combination gas controls with gas valve, gas regulator, and pilot safety
- Left-side or rear 3/4"(19mm) NPT gas connection
- Heavy duty, slide-out flame diverters
- Natural Gas or LP Gas with Thermostatic Temperature Controls
- 2-Year Limited Warranty



### Model # BMBPD915 Specifications:

- 17kW / 58,000 BTU Per Deck
- Oven Inner Dimensions: 36" Wide x 36" Deep
- Product Dimensions (WDH): 55" x 48" x 62"
- Product Weight: 982lbs.
- Shipping Dimensions (WDH): 57" x 54" x 39"
- Shipping Weight: 1092lbs.

### Model # BMBPD125 Specifications:

- 19kW / 65,000 BTU Per Deck
- Oven Inner Dimensions: 48" Wide x 36" Deep
- Product Dimensions (WDH): 66.4" x 48" x 62"
- Product Weight: 1213 lbs.
- Shipping Dimensions (WDH): 74" x 54" x 39"
- Shipping Weight: 1345 lbs.



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Electric Rotating Pizza Oven

The BakeMax BMSP001 Electric Rotating Pizza Oven boasts a durable stainless-steel build and a rotating mechanism for uniform heat distribution, ensuring consistent pizza perfection. Perfect for cafes, hotels, and restaurants, this compact yet spacious oven accommodates various pizza sizes.



### Features:

- Adjustable Temperature Control from 0-752°F (0-400°C)
- Oven Interior Height is 6.69"
- Oven Baking Stone Diameter is 39.37"
- Door Opening: 19.68" x 5.51"
- Independent Temperature Controls and Temperature Display for Top & Bottom
- Rotating Refractory Baking Stone for homogeneous baking
- Stainless-Steel Inner Chamber
- Cook up to Six 11" Pizzas at a time, up to 75 Pizzas per Hour
- 2-Year Limited Warranty

### Product Specifications:

- Dimensions (WDH): 47.2" x 54.3" x 78.6"
- Weight: 730lbs. / 331 kg

### Shipping Specifications:

- Dimensions (WDH): 51" x 60" x 87"
- Weight: 973lbs. / 441 kg

### Electrical Specifications:

- 208V / 47.22A / 15500W / 60Hz / 3Ph



Intertek Intertek

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Gas Rotating Pizza Ovens

The BakeMax BMSPO Series Gas Rotating Pizza Ovens features stainless-steel construction and a rotating deck for even heat distribution, delivering perfectly cooked pizzas every time. Ideal for cafes, hotels, and restaurants, this space-saving oven offers generous capacity to handle pizzas of all sizes.



### Features:

- Adjustable Temperature Control from 0-752°F (0-400°C)
- Oven Interior Height is 17.71"
- Independent Temperature Controls and Temperature Display for Top & Bottom
- Rotating Refractory Baking Stone for homogeneous baking
- Stainless-Steel Construction Including Inner Oven Chamber
- 2-Year Limited Warranty

### Production Output:

- The BMSPO04 has a 39.4" diameter stone that can cook up to Six 12" Pizzas at a time, and up to 75 Pizzas per Hour
- The BMSPO02 has a 47.2" diameter stone that can cook up to Nine 12" Pizzas at a time, and up to 130 Pizzas per Hour



Model #	Product Dimensions	Product Weight	Shipping Dimensions	Shipping Weight	BTU & Electrical Specs	Door Opening
BMSPO02	76.5" x 83.6" x 83.2"	3307lbs.	81" x 87" x 88"	3440lbs.	48kW / 164,000 BTU 208V / 3A / 60Hz / 3Ph	19.7" Wide x 9.84" High
BMSPO04	58.4" x 67.3" x 71.6"	1698lbs.	60" x 71" x 80"	1896lbs.	31kW / 105,776 BTU 208V / 3A / 60Hz / 3Ph	19.7" Wide x 5.5" High

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Commercial Electric Ranges

The BakeMax BMPLS7KE Series Electric Range is your reliable and versatile solution for professional cooking. This range comes with 2kW top burners and can fit 18 x 26 sheet pans. The exterior features a high riser and over shelf for added convenience. With a hassle-free operation and easy cleaning, the BakeMax Electric Range is your simple, durable, and efficient kitchen upgrade



Intertek



Intertek



**24" Wide - 4 Burner**  
**Model # BMPLS7KE021**

Model	BMPLS7KE021	BMPLS7KE031
Product Dimensions (WDH)	24" x 37.6" x 56"	36" x 37.6" x 57"
Product Weight	256lbs.	315lbs.
Crated Dimensions (WDH)	25" x 42" x 46"	38" x 42" x 47"
Shipping Weight	287lbs.	353lbs.
Electrical Specifications	208V / 39.8A / 13300W 60Hz / 3Ph	208V / 49.2A / 17300W 60Hz / 3Ph
	208V / 64A / 13300W 60Hz / 1Ph	208V / 83.2A / 17300W 60Hz / 1Ph

### Features:

- Oven interior & exterior is all heavy-duty stainless steel and are fully insulated for cooler outer temperatures and consistent interior temperatures.
- Electric-operated oven with precise temperature controls up to 572°F
- High-performance 5.3 kW element provides even heating throughout the oven
- One Oven Rack with Easy-to-Clean Removable Rack Supports
- 6-Stage Heat controls for maximum cooking flexibility
- Stainless-Steel High Riser with Shelf
- 6" Locking Casters
- Field convertible from 3Ph to 1Ph
- 2-Year Limited Warranty



**36" Wide - 6 Burner**  
**Model # BMPLS7KE031**

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Mini Electric Griddles

BakeMax Mini Electric Griddles offer superior heating and ensures even heating over the entire cooking surface. The griddle is thermostatically controlled for accuracy and can be heated up to 572°F. Plus, the cooking surface retains heat for optimal cooking. The internally mounted grease collection pan makes cleaning easier while the polished finish enhances its appearance.



**16" Flat Top Griddle  
Model # BMSIE010**

### BMSIE010 & BMSIE011 Features:

- Stylish and Professional Design
- The entire outer body is stainless steel making it very easy to clean and hygienic
- Easy-to-Remove Oil Container
- High Limit for overheat protection
- Thermostatically controlled thermostat capable of 122 - 572°F (50 - 300°C )
- Stainless steel splash guard prevents oil splashing to the back and sides
- Thanks to the wide oil drain hole, waste generated during cooking easily flows into the oil container.
- 2-Year Limited Warranty



Intertek Intertek

### BMSIE010 & BMSIE011 Specification:

- 208V / 12A / 2500W / 60Hz / 1Ph
- Product Dimensions (WDH): 16" x 17.5" x 9.6"
- Product Weight: 33 lbs.
- Shipping Dimensions (WDH): 18" x 20" x 15"
- Shipping Weight: 36 lbs.



**16" Ribbed Grill  
Model # BMSIE011**

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Commercial Countertop Electric Griddles

BakeMax Electric Griddles are reliable solutions designed for professional grilling applications. Features a 3/4" highly polished steel griddle plate that holds temperatures and has quick recovery. Each 12" Section on the griddle has its own individual control. Perfect for Restaurants, Cafes and Hotels.



**36" Griddle**  
**Model # BMPLS7IE030**



### Required Clearances:

All Models	Non-Combustible	Combustible
Left	0" (0mm)	6" (152mm)
Right	0" (0mm)	6" (152mm)
Back	0" (0mm)	6" (152mm)

### Features:

- Available in 24", 36" and 48" widths.
- Easy-to-Clean & Hygienic Heavy-Duty Stainless-Steel Construction
- Reliable and Versatile solution designed for Professional Grilling Applications
- Electric Thermostatic Controls with a Temperature Range of 150 - 500°F
- 3/4", 24" Deep Highly Polished Steel Griddle Plate holds temperature and has a quick recovery
- Each 12" section is controlled individually
- 3.25" Wide front grease container
- 5" x 20" Removeable Grease Tray
- Heavy-Duty 4" Adjustable Legs
- Field Convertible to Single Phase
- 2-Year Limited Warranty

Model	Product Dimensions (WDH)	Shipping Dimensions (WDH)	Product Weight	Shipping Weight	Electrical (Field Convertible)
BMPLS7IE020	24" x 34.6" x 17.2"	26" x 38" x 25"	220lbs.	254lbs.	208V / 22.5A / 8000W / 60Hz / 3Ph 208V / 38.5A / 8000W / 60Hz / 1Ph
BMPLS7IE030	36" x 34.6" x 17.2"	37" x 38" x 25"	270lbs.	309lbs.	208V / 33.5A / 12000W / 60Hz / 3Ph 208V / 58A / 12000W / 60Hz / 1Ph
BMPLS7IE040	48" x 34.6" x 17.2"	49" x 38" x 25"	353lbs.	391lbs.	208V / 44.5A / 16800W / 60Hz / 3Ph 208V / 77A / 16800W / 60Hz / 1Ph

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Commercial Floor Model Electric Fryers

The BakeMax BMPLS7FE Series Fryers are commercial floor model electric fryer with 40-75lbs. oil capacity. It is suitable for frying a wide variety of basic foods, fresh or frozen: appetizers, chicken, fries, breaded products, etc. Ideal for a restaurant or commercial kitchen with a high-volume of fried foods.



Intertek



Intertek



**75lbs. Model # BMPLS7FE030**

### Features:

- Available in 40, 50 or 75lbs Oil Capacities.
- Easy-to-Clean & Hygienic Heavy-Duty Stainless-Steel Construction
- Reliable and Versatile solution designed for Professional Frying Applications
- Electronic Safety Thermostat has over-heat protection & offers a temperature range of 200°F - 400°F. (93°C - 204°C) that extends oil life and produces a uniformly cooked product.
- Two Stainless Steel Fry Baskets Included
- Direct heat-to-element contact heats oil quickly resulting in less absorption and better tasting food
- 1-1/4" drain valve empties fry pot quickly and safely
- The tilt-up elements offer complete access to the fry pot for cleaning.
- Field Convertible to Single Phase
- 2-Year Limited Warranty



**40lbs. Model # BMPLS7FE010**

Model	Product Dimensions (WDH)	Shipping Dimensions (WDH)	Product Weight	Shipping Weight	Electrical (Field Convertible)
BMPLS7FE010	15.5" x 34" x 39"	18" x 40" x 49"	95lbs.	117lbs.	208V / 39A / 14000W / 60Hz / 3Ph 208V / 67.5A / 14000W / 60Hz / 1Ph
BMPLS7FE020	16" x 34" x 39.5"	19" x 40" x 49"	100lbs.	120lbs.	208V / 33.5A / 12000W / 60Hz / 3Ph 208V / 58A / 12000W / 60Hz / 1Ph
BMPLS7FE030	19.5" x 38.2 x 39.5"	20" x 42" x 49"	108lbs.	130lbs.	208V / 53A / 19000W / 60Hz / 3Ph 208V / 91.5A / 19000W / 60Hz / 1Ph

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Countertop Mini Electric Fryers

The BakeMax BMFE Series Countertop Mini Electric Fryers have a 6-liter oil capacity per unit. It is suitable for frying a wide variety of basic foods, fresh or frozen. Perfect for small production volume of appetizers, chicken, fries, breaded products and more.

### Features:

- Completely Constructed of High-Quality Hygienic Stainless-Steel that is very Easy-to-Clean
- Each unit has a Powerful 3250W Heating Element
- Stainless-Steel Fry Tank Baskets & Cover
- Stainless-Steel Fry Tank Holds up to 6 Liters of Oil
- High Limit Safety Thermostat for Over-Heat Protection
- Safe Oil-Drainage Valve on Front Bottom
- 2-Year Limited Warranty



12 Liter Model # BMFE020



Intertek Intertek



6 Liter Model # BMFE010

Model	Product Dimensions (WDH) & Weight	Shipping Dimensions (WDH) & Weight	Electrical
BMFE010	12.2" x 17" x 16.2" 11lbs.	15" x 22" x 22" 17lbs.	208V / 15.6A / 3250W 60Hz / 1Ph NEMA 6-20P Plug
BMFE020	24.4" x 17" x 16.2" 22lbs.	26" x 22" x 12" 26lbs.	208V / 15.6A + 15.6A 6500W / 60Hz / 1Ph (NEMA 6-20P) x 2

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Commercial Countertop Induction Cookers

The BakeMax BMPLS7IND Series Commercial Induction Cookers have 3000 watts of power per burner. It features independently controlled burners while also taking up a small space on your countertop. It has large 11" x 11" ceramic glass cooking surfaces with temperature adjustment from 140°F to 464°F.

### Features:

- Available in 2-Burner or 4-Burner
- Stainless-Steel Construction with Glass Cooking Surface making this very easy to clean and hygienic
- NSF & ETL Sanitation Approved
- Digital Timer
- Thermostatic Controls with a Temperature Range of 140-464°F
- 1-10 Temperature Adjustment with 68°F increments, starting at 140°F
- Heavy-Duty 4" Adjustable Legs
- Automatic Safety Shut Off
- 2-Year Limited Warranty



4 Burner Model # BMPLS7IND020



2 Burner Model # BMPLS7IND010

Model Number	BMPLS7IND010	BMPLS7IND020
Product Dimensions (WDH)	12.1" x 34.9" x 14.3"	26.2" x 38.8 x 13"
Product Weight	57lbs.	95lbs.
Crated Dimensions (WDH)	13" x 37" x 20"	25" x 37" x 20"
Shipping Weight	95lbs.	150lbs.
Electrical Specifications (Field Convertible)	208V / 20A / 6000W 60Hz / 3Ph  208V / 30A / 6000W 60Hz / 1Ph	208V / 40A / 12000W 60Hz / 3Ph  208V / 60A / 12000W 60Hz / 1Ph



Control Panel

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Mini Induction Cooker

The BakeMax Mini Stovetop Electric Induction Cooker offers superior heating and ensures even heating over the entire cooking surface. The cooker is thermostatically controlled for accuracy and can be heated up to 572°F. Plus, the cooking surface retains heat for optimal cooking.



Model # BMSIND020



Intertek Intertek

### Features:

- Stylish, Hygienic & Very Easy to Clean
- Thermostatic Temperature Controls capable of 122-572°F (50-300°C)
- Almost the entire glass surface can be used without cold zones
- Each thermostat has an overheat protection system to increase safety
- 1-10 Temperature Setting (500-3500W)
- LED Timer Display (0-24 Hours)
- Product Specifications (WDH): 31.1" x 17.9" x 6.5" – 44lbs.
- 208V / 30A / 6000W / 60Hz / 1Ph
- Shipping Specifications (WDH): 32" x 19" x 13" – 49lbs.
- 2-Year Limited Warranty

## Electric Pasta Cooker

Cooking perfect pasta is easy with the BakeMax BM6ME010 Pasta Cooker. This compact yet powerful cooker optimizes kitchen space, ensuring precise and perfectly cooked pasta, ideal for various pasta dishes in commercial culinary environments. Perfect for Cafes, Hotels and Restaurants.



### Features:

- Durable Stainless-Steel Construction
- Powerful 4500W Stainless-Steel Elements combined with Thermostatic Temperature Controls provides rapid & precise heating
- Tailored design for efficient and precise pasta cooking, ensures consistent and perfectly cooked pasta.
- Tank Capacity of 10 Liters
- Comes with 4 Stainless-Steel Baskets
- Front Water Filling Tap & Drain Valve
- High Limit Thermostat
- Overflow Drainage System
- Product Specifications (WDH): 15.75" x 25" x 11.2" – 57lbs.
- Shipping Specifications (WDH): 18" x 35" x 24" – 62lbs.
- 240V / 19A / 4500W / 60Hz / 1Ph
- 2-Year Limited Warranty



Intertek Intertek

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Commercial Countertop Electric Hot Plates

BakeMax BMPLS7KE Series Hotplates are a commercial electric hot plate with 2000 watts of power per burner. It features independently controlled burners while also taking up a small width on your countertop. It has two large 9 ¼" diameter cooking surfaces with easy-to-use temperature adjustment from 140°F to 464°F.



Model # BMPLS7KE020  
4 Burner



Intertek Intertek

### Features:

- **Stainless-Steel Construction:** Made entirely of high-quality, hygienic stainless steel that's durable, corrosion-resistant, and easy to clean.
- **NSF & ETL Sanitation Certified:** Meets strict commercial sanitation standards for health and safety compliance.
- **Thermostatic Controls:** Offers precise temperature control from 140°F to 464°F for versatile cooking applications.
- **6-Stage Heat Settings:** Allows consistent and flexible temperature management with six easy-to-use settings.
- **Adjustable Legs:** Heavy-duty 4-inch legs provide sturdy support and can be adjusted for leveling on uneven surfaces.
- **Safety High Limit:** Built-in overheat protection automatically shuts off the unit to ensure operator safety.
- **Field Convertible:** Can be easily converted to single-phase electrical service to suit different installation needs.
- **2-Year Limited Warranty:** Includes parts and labor coverage for added peace of mind.

Model Number	BMPLS7KE010	BMPLS7KE020
Product Dimensions (WDH)	12.1" x 34.9" x 14.3"	24.1" x 34.9" x 14.3"
Product Weight	51lbs.	84lbs.
Crated Dimensions (WDH)	18" x 38" x 20"	32" x 38" x 20"
Shipping Weight	95lbs.	115lbs.
Electrical Specifications (Field Convertible)	208V / 19.5A 4000W / 60Hz / 3Ph  208V / 11.5A 4000W 60Hz / 3Ph	208V / 38.5A 12000W / 60Hz / 1Ph  208V / 23A 8000W / 60Hz / 3Ph



Model # BMPLS7KE010  
2 Burner

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## BakeMax America Radiant Gas Charbroiler

A Charbroiler is essential for any establishment that wants to feature smoky, char-grilled flavors on their menu. The Charbroiler design directs juices evolved during the cooking process downward onto the radiant, resulting in searing flames and enhanced smoke flavors. Perfect to cook meats, vegetables and more.



Model # BACGG24-4



### Optimal Heat Distribution:

- Heavy-duty radiant system ensures even and efficient heat distribution.

### Adaptable Grate Design:

- Heavy-duty reversible cast iron grates accommodate a variety of products.

### Flare-Up Control:

- Angled heavy-duty cast-iron top grates effectively control flare-ups.

### Ease of Cleaning:

- Individually removable radiant for effortless and convenient cleaning.

### Effortless Ignition:

- Easy light pilot located conveniently at the side of each burner.

### Precise Burner Control:

- Individually controlled enameled stainless-steel burners placed every 6", offering maximum output, flexibility, and low maintenance.

### Selective Use Capability:

- Manual gas control valve for each burner allows the use of select burners.

### Efficient Grease Management:

- Enameled grease tray with a full width catch tray funnels into a removable pan for easy cleaning.

### Warranty:

- Backed by our 2-Year Limited Warranty

### Technical Specifications

Model	Width	Depth	Height	Burners	BTU NG	BTU LP	Orifice #	
							NG	LP
BACGG18	18"	30.5"	16.2"	1	30,000	30,000	40	52
BACGG24	24"	30.5"	16.2"	2	60,000	60,000	40	52
BACGG36	36"	30.5"	16.2"	3	90,000	90,000	40	52
BACGG48	48"	30.5"	16.2"	4	120,000	120,000	40	52

### Shipping Specifications

Model	Net Weight	Crated Weight	Crated Dimensions (W x D x H)
BACGG18	140lbs. / 64kg	157lbs. / 71kg	23 x 34" x 19"
BACGG24	182lbs. / 83kg	209lbs. / 95kg	29" x 34" x 19"
BACGG36	240lbs. / 109kg	284lbs. / 129kg	41" x 34" x 19"
BACGG48	258lbs. / 117kg	320lbs. / 145kg	52" x 34" x 19"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water column for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## BakeMax America Manual Gas Griddles

The BakeMax America BACG Series Manual Gas Griddle is designed to provide the ultimate performance and durability. As with all our heavy-duty countertop equipment, they are built to the highest commercial standards to ensure years of trouble-free service, featuring superior frame construction and stainless-steel exterior for easy maintenance. Combine all of this and our affordable prices and you have the best value for your budget.



Model # BACG24-2

### Features:

- Available in 15", 24", 36", 48" and 60" Widths.
- Stainless-Steel Construction
- Highly Polished 3/4" Steel Griddle Plate
- Easy-to-Light Pilots through the Front Panel
- Individual Burner Control with Individually Lit Pilots
- Enameled Burners, Designed to Achieve the Best Performance
- Each burner heats 12" of the grill plate to provide an even heat distribution.
- Stainless Steel Splash Guard around the Griddle
- 4.4" Enameled Grease Tray for Easy Cleaning
- 3/4" Rear Gas Connection
- 4" Adjustable Stainless-Steel Legs
- LP Conversion Kit Included
- 2-Year Limited Warranty



### Technical Information

Model	Width	Depth	Height	Burners	BTU NG	BTU LP	Orifice # Gas LP	
BACG15	15"	30.5"	16.85"	1	30,000	30,000	44	54
BACG24	24"	30.5"	16.85"	2	60,000	60,000	44	54
BACG36	36"	30.5"	16.85"	3	90,000	90,000	44	54
BACG48	48"	30.5"	16.85"	4	120,000	120,000	44	54
BACG60	60"	30.5"	16.85"	5	150,000	150,000	44	54

### Shipping Information

Model	Net Weight	Crated Weight	Crated Dimensions (W x D x H)
BACG15	140lbs. / 64kg	157lbs. / 71kg	23 x 34" x 19"
BACG24	182lbs. / 83kg	210lbs. / 95kg	29" x 34" x 19"
BACG36	240lbs. / 109kg	284lbs. / 129kg	40" x 34" x 19"
BACG48	258lbs. / 117kg	329lbs. / 149kg	52" x 34" x 19"
BACG60	315lbs. / 143kg	357lbs. / 162kg	64" x 34" x 19"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water column for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## BakeMax America Thermostatic Gas Griddles

The BakeMax America BATG Series Thermostatic Griddles are designed to provide the ultimate in performance and durability. As with all our heavy-duty countertop equipment, they are built to the highest commercial standards to ensure years of trouble-free service, featuring superior frame construction and stainless-steel exterior for easy maintenance. Combine all of this and our affordable prices and you have the best value for your budget.



Model # BATG24

### Features:

- Available in 24", 36", 48" Widths.
- Full Stainless-Steel Construction
- Highly Polished 3/4" Carbon Steel Fully Welded Griddle Plate
- Easy-To-Light Pilot at the sides of Each Burner
- Independent Heat Control for Each Burner.
- Durable Black Aluminum Knobs
- 200-575°F Energy-Saving Adjustable Thermostatic Control Valves to Achieve Precise Desired Griddle Plate Surface Temperature
- Enameled Burners Positioned every 12" Providing Heat Uniformity
- Easy-to-Light Pilots
- Stainless-Steel Splash Guards
- 4.4" Enameled Grease Tray for Easy Cleaning
- 3/4" Rear Gas Connection
- Adjustable Stainless-Steel Legs
- LP Conversion Kit Included
- 2-Year Limited Warranty



### Technical Specifications

Model	Width	Depth	Height	Burners	BTU NG	BTU LP	Orifice # NG LP	
BATG24	24"	30.5"	16.85"	2	70,000	70,000	43	54
BATG36	36"	30.5"	16.85"	3	105,000	105,000	43	54
BATG48	48"	30.5"	16.85"	4	140,000	140,000	43	54

### Shipping Specifications

Model	Net Weight	Crated Weight	Crated Dimensions (W x D x H)
BATG24	165lbs. / 75kg	196lbs. / 89kg	28" x 34.25" x 19.3"
BATG36	234lbs. / 106kg	282lbs. / 128kg	40.25" x 34.25" x 19.3"
BATG48	258lbs. / 117kg	329lbs. / 149kg	53" x 34.25" x 19.3"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## BakeMax America Gas Hot Plates

The BakeMax America BAFA Series Gas Hot Plates are designed to provide the ultimate in performance and durability. As with all our heavy-duty countertop equipment, they are built to the highest commercial standards to ensure years of trouble-free service, featuring superior frame construction and stainless-steel exterior for easy maintenance. Combine all of this and our affordable prices and you have the best value for your budget.



Model # BAFA4M-24



### Features

- Available in 12", 24", and 36" Widths
- Durable Stainless-Steel Body that is very Easy to Clean
- Compact Design for Countertop Use
- 12" x 12" Heavy-duty Cast-Iron Top Grates that are designed for easy movement of pots across top sections.
- 6" Deep Front Stainless-Steel bullnose-rail is safely flush with the cook tops and functional to straddle pots, skillets and plates and serves as control protection.
- Large 7" Flame Spread offers a more efficient burn pattern for small to large pots.
- Cast Iron Double Burners for Peak Performance
- Easy-to-Light Pilot at the side of Each Burner
- Independent Controls for Each Burner
- 4" Adjustable Polished Chrome Steel Legs
- Full Width Grease Catch Tray that funnels into a removable pan for easy cleaning
- 3/4" Rear Gas Connection
- Gas Appliance Regulator Included
- LP Conversion Kit Included
- 2-Year Limited Warranty

### Technical Specifications

Model	Width	Depth	Height	Burners	BTU NG	BTU LP	Orifice #	
							NG	LP
BAFA2M-12	12"	30.5"	17"	2	50,000	50,000	40	53
BAFA4M-24	24"	30.5"	17"	4	100,000	100,000	40	53
BAFA6M-36	36"	30.5"	17"	6	150,000	150,000	40	53

### Shipping Specifications

Model	Net Weight	Crated Weight	Crated Dimensions (W x D x H)
BAFA2M-12	70lbs. / 32kg	93 lbs. / 42 Kg	16.25" x 34.25" x 18.5"
BAFA4M-24	121lbs. / 55kg	154 lbs. / 70 Kg	28.1" x 34.25" x 18.5"
BAFA6M-36	176lbs. / 80kg	218lbs. / 99 Kg	41" x 34.25" x 18.5"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## BakeMax America Gas Stock Pots

The BakeMax America BASPS Series Gas Stock Pot is built to the highest commercial standards to ensure years of trouble-free service, featuring superior frame construction and stainless-steel exterior for easy maintenance. Combine all of this and our affordable prices and you have the best value for your budget.



Model BASPS001



3 Ring Burner

- Available in (1) 3 Ring Burner and (2) 3 Ring Burners
- 90,000 BTU Output Per Burner
- Constructed of Stainless-Steel for Durability & Ease of Cleaning
- 18" x 21" Heavy-Duty Cast Iron Top Grates designed for easy movement of pots across top sections.
- Deflectors to direct waste and crumbs to drip pan
- Landing ledge, promoting safety and functionality
- Independent manual controls for each burner
- 6" highly polished chrome adjustable steel legs.
- Full width catch tray funneling into a removable pan for easy cleaning
- 3/4" Rear Gas Connect
- LP Conversion Kit Included
- Gas Appliance Regulator Included
- 2-Year Limited Warranty



Model BASPS002

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Think Quality - Think Value - Think Service - Think BakeMax

# Cooking Equipment

## BakeMax America Gas Fryers

The BakeMax America BAKE Series Fryers are made of heavy-duty stainless steel with a double layer access door. Galvanized steel side panels. The drain valve is 1.5" diameter to allow for quick draining.



Intertek



Intertek



### Features:

- Tank Capacities of 40lbs, 50lbs and 75lbs.
- 90,000, 120,000 and 150,000 BTU's/hr.
- Available in Natural Gas (NG) and Propane (LP)
- Temperature Range from 200° F to 400° F
- Stainless-Steel Long-Lasting Construction
- Double Layer Access Door
- Millivolt System (no electrical hookup required)
- Galvanized Steel Side Panels
- 1.5" Diameter opening Drain Valve for Easy Draining
- 3/4" NPT inlet in rear of unit
- Nickel Plated Rack to rest baskets
- Heat Exchange Tubes with Baffles
- 1-year Limited Warranty (2 years on fry tank)

### Included Accessories:

- Drain Rod for Easy Cleaning of Drain Tube / Valve
- Twin Chrome Plated Fryer Baskets

### Optional Accessories:

- Additional Baskets – Part # KE40/001, KE70/001
- Bracket for Joining Multiple Fryers – Part # BB2
- Left Splash Guard – Part # BB3L
- Right Splash Guard – Part # BB3R
- 4 Casters with 2 Brakes – Part#KE70/CKIT

### Technical Specifications

Model	Product Dimensions (W x D x H)	Product Weight	Tank Capacity	Tank Size	Tube	Hose*	BTU NG	BTU LP
BAKEG40	16" x 33" x 48.5"	110lbs.	40lbs.	14" x 14"	3	3/4"	90,000	N/A
BAKEG50	16" x 33" x 48.5"	143lbs.	50lbs.	14" x 14"	4	3/4"	120,000	N/A
BAKEG70	20" x 34" x 48.5"	157lbs.	75lbs.	18" x 18"	5	3/4"	150,000	N/A
BAKEL40	16" x 33" x 48.5"	110lbs.	40lbs.	14" x 14"	3	3/4"	N/A	90,000
BAKEL50	16" x 33" x 48.5"	143lbs.	50lbs.	14" x 14"	4	3/4"	N/A	120,000
BAKEL70	20" x 34" x 48.5"	157lbs.	75lbs.	18" x 18"	5	3/4"	N/A	150,000

### Shipping Specifications

Model	Width	Depth	Height	Weight
BAKEG40 & BAKEL40	20"	35"	51"	200lb
BAKEG50 & BAKEL50	20"	35"	51"	200lb
BAKEG70 & BAKEL70	24"	37"	51"	275lb

\*Hose Not Supplied with Fryer

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)



# Cooking Equipment

## BakeMax America Gas Ranges

The BakeMax BAS Range Series are constructed with 430 corrosion resistant stainless steel, including interior burner box which provides extra durability and easy to clean. All supporting brackets inside burner box are made of 304 stainless steel which is resistant to oxidation and corrosion. Each top burner provides up to 25,000 BTU's. The ovens are fully enameled with porcelain interior and the oven door lifts off easily for cleaning and maintenance. Each unit is NG and is supplied with LP conversion kit.



**Model# BAS36O**  
**36" 6-Burner Gas Range and Bakery Oven**



**Model# BAS36-12**  
**36" Wide 2-Burner Gas Range with 24" Manual Griddle and Bakery Oven**



**Model# BAS36-24-2**  
**60" Wide 6-Burner Gas Range with 24" Manual Griddle and Two Bakery Ovens**

### Technical Specifications

Model	Width	Depth	Height	Burners	BTU NG	BTU LP	Range & Griddle Orifice #		Oven Orifice #	
							NG	LP	NG	LP
BAS24O	24"	35"	62.5"	4	130,000	127,000	40	53	37	52
BAS36O	36"	35"	62.5"	6	185,000	183,000	40	53	33	51
BAS60O	60"	35"	62.5"	10	315,000	310,000	40	53	33 & 37	51 & 52
BAS36-24-2	60"	35"	62.5"	6 with 24" Griddle	293,000	293,000	40 & 44	53 & 54	33 & 37	51 & 52
BAS36-12	36"	35"	62.5"	2 with 24" Griddle	151,000	151,000	40 & 44	53 & 54	33	51

### Shipping Specifications

Model	Product Weight	Crated Weight	Crated Dimensions (W x D x H)
BAS24O	276lbs. / 125kg	397lbs. / 180kg	29" x 39" x 46"
BAS36O	386lbs. / 175kg	529lbs. / 240kg	47.5 x 39" x 46"
BAS60O	662lbs. / 300kg	841lbs. / 382kg	65" x 39" x 46"
BAS36-24-2	708lbs. / 321kg	841lbs. / 382kg	64" x 42" x 47"
BAS36-12	418lbs. / 190kg	549lbs. / 248kg	46" x 41" x 47"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

**Think Quality - Think Value - Think Service - Think BakeMax**



# Cooking Equipment

## BakeMax America Gas & Electric Convection Oven

The BakeMax America BASCO5 Convection Ovens are built to last and can accommodate holding 12 full size pans at 1.5" spacing. It can cook a variety of foods and is widely adjustable to meet the customer's needs. The electric model features a 11000W Heating Element, and the Gas Model has four burners at 50,000 BTU per burner, allowing food to be cooked quickly and efficiently. Ideal for Restaurants and Bakeries.



Models  
BASCO5G  
BASCO5E

### Features:

- Hygienic & Easy-to-Clean Stainless-Steel Construction
- Heavy-Duty Removeable Stainless-Steel Front Door with Double Glass Front Window for Ease of Cleaning
- Enameled Oven Cavity has rounded corners for better heat circulation and features twelve removeable rack supports at 1.5" spacing, includes 5 racks per oven
- Interior Long-Lasting Halogen Lights
- Integrated Safety System that shuts off power to the fan when either of the doors are opened
- Digital Timer can go up to 999 Minutes.
- Solid State Thermostat with a Temperature Range of 150-500°F (65-260°C)
- Forced Air Circulation System accountable for evenly baking food and maximizing efficiency for energy savings
- 3/4 HP Two-Speed (1125 and 1725 RPM) Blower Motor with Reversible Rotation
- Heat Element & Gas Shut-Off Switch on Front Panel
- Two Auxiliary Cooking Features: Hold & Pulse
- 2-Year Limited Warranty



### Technical Specifications

Model	Width	Depth	Height	Racks	BTU NG	BTU LP	Electrical	Oven Cavity Dims (W x D x H)
BASCO5G	38"	46.6"	61.6"	5	200,000	200,000	240V / 4.8A 720W / 1Ph	29" x 25.5" x 20"
BASCO5E	38"	46.6"	61.6"	5	240V / 51A / 11000W / 60Hz / 1Ph			29" x 25.5" x 20"
BADCO5G	38"	46.6"	71.4"	10	400,000	400,000	240V / 4.8A 720W / 1Ph	29" x 25.5" x 20"
BADCO5E	38"	46.6"	71.4"	10	240V / 51A / 22000W / 60Hz / 1Ph *Each Oven has its own Power Cord			29" x 25.5" x 20"

**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## BakeMax America Gas & Electric Convection Oven


The BakeMax America BADCO5 series convection oven comes with the same features of the BASCO5 Series, only with another oven stacked on top. With its space saving design, it is developed with our customers in mind and capability of holding 18 full size pans.



Models  
BADCO5G  
BADCO5E

### Shipping Specifications

Model	Net Weight	Crated Weight	Crated Dimensions (W x D x H)
BASCO5G	492lbs.	538lbs.	43.3" x 52" x 39.4"
BASCO5E	463lbs.	509lbs.	43.3" x 55" x 39.4"
BADCO5G	913lbs.	1014lbs.	43.4" x 49.3" x 77.6"
BADCO5E	885lbs.	985lbs.	43.4" x 49.3" x 77.6"



**\*Warning:** The minimum supply pressure on this appliance must be set at 4 water column inches for natural gas and 10 water columns for propane gas. Each unit has a 3/4" gas connect at the rear of the appliance.

Think Quality - Think Value - Think Service - Think BakeMax

# Cooking Equipment

## Greaseless Commercial Hot Air Fryer

The BakeMax BMSGF Series Air Fryer uses a combination of forced hot air, radiant heat, and an elevated perforated cooking basket to prepare frozen foods to the taste and texture as if they were deep fried. Crispy on the outside and moist and tender on the inside! Ideal for start-up businesses, bars and clubs, family entertainment centers, delicatessens, snack stands, and others who wish to prepare and serve portable restaurant quality menu items at a fraction of the cost of building a commercial kitchen.



### Electrical Options

- The 120V 1740W Model# **BMSGF201** utilizes a standard 120V plug, NEMA 5-15P and can be plugged into any standard outlet. It takes approximately 9 minutes to warm up from room temperature to 420°F.
- The 120V 2200W Model# **BMSGF202** requires a dedicated 20A circuit and utilizes a 20A plug, NEMA 5-20P. It takes approximately 6 1/2 minutes to warm up from room temperature to 420°F.
- The 208V 4326W Model# **BMSGF203** utilizes a single phase, 4-wire, 30A plug, NEMA #14-30P. It takes approximately 1.5 to 2.5 minutes to warmup from room temperature to 420°F, depending on the input voltage. Since the pre-warm is so quick with this model, it provides the operator with "Cook to Order" capabilities.

### Features:

- Capacity: 2lbs. per batch
- LCD Color Touch Screen Display – Create and Edit up to 15 different recipes with names, times, and temperatures.
- Simple and easy to operate you don't need a culinary trained chef or cook to produce crispy and delicious menu items!
- Greaseless Fryers are healthier with 20% to 40% less fat compared to deep-fat frying and without the mess and hazards of using hot grease. Also faster, 30-40% faster (on average) than a convection oven!
- No Vented Hood System Needed
- 1-Year Limited Warranty

### Technical Specifications (W x D x H):

- External Dimensions: 21" x 20" x 13.5"
- Cooking Basket: 12" x 12" x 2"

### Shipping Specifications ( W x D x H):

- Crated Dimensions: 23.5" x 23.5" x 18"
- Crated Weight: 70lbs.



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Greaseless Commercial Hot Air Fryers

The BakeMax BMSGF5 and BMDGF5 (Double Stacked) uses a combination of forced hot air, radiant heat, and an elevated perforated cooking basket to prepare frozen foods to the taste and texture as if they were deep fried. Crispy on the outside and moist and tender on the inside!



**Model BMDGF5  
Double Stacked**

### Features:

- Capacity: 5lbs. per batch
- LCD Color Touch Screen Display – Create and Edit up to 15 different recipes with menu names, times, and temperatures.
- Simple and easy to operate you don't need a culinary trained chef or cook to produce crispy and delicious menu items!
- Greaseless Fryers are healthier with 20% to 40% less fat compared to deep-fat frying and without the mess and hazards of using hot grease.
- Cooks 30% to 40% faster than convection ovens without the mess and hazards of using hot grease!
- No Vented Hood System Needed
- Prepares French fries, egg rolls, corn dogs, chicken tenders, tacos and other "fried foods;" Grills up to 50 hot dogs in 5 minutes; Bakes pizzas, pretzels, and hot sandwiches!
- 1-Year Limited Warranty



### Electrical Options (Single Phase, 50/60Hz)

- 208V / 29A / 5760W / Nema 6-30R Plug
- 240V / 24A / 5750W / Nema 6-30R Plug

### Technical Specifications (W x D x H):

- External Dimensions: 29" x 21" x 25"
- Cooking Basket Dimensions: 16.5" x 16.5" x 3"

### Shipping Specifications (W x D x H):

- Crated Dimensions: 37" x 30" x 29"
- Crated Weight: 175lb.



**Model BMSGF5**

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Greaseless Commercial Hot Air Fryers

The BakeMax BMSRAF and BMDRAF (Double Stacked) uses dual heating elements to produce a combination of forced hot air and radiant heat. With elevated perforated cooking basket, prepares frozen foods to the taste and texture as if they were deep fried. The BMSRAF can now cook at temperatures up to 525° F, which results in cooking times that are comparable to deep-fat fryers for french fries and other delicious menu items. Prepare and serve menu items that are crispy on the outside and moist and juicy on the inside, without the mess and hazards of hot grease!



Model BMDRAF



- **Unsurpassed Versatility** – Prepares french fries, chicken tenders, tacos and more; Grills up to 50 hot dogs in just 4 minutes; Bakes Pizzas, Flatbreads, Pretzels, and hot sandwiches in just 2 to 4 minutes!
- **Increased Speed of Service** – Prepares frozen french fries in less than 3 ½ minutes!
- **No Exhaust Vents Required** – Uses both a heated catalytic converter, and a two-stage air filtration system!
- **Offer Healthier Foods** – Greaseless Fryers are healthier with 20% to 40% less fat compared to deep-fat frying and without the mess and hazards of using hot grease.
- **Easy to Program** – Smart Phone Style Touch Screen allows you to create and edit up to 108 recipes with menu names, times, and temperatures.
- **Hold & Reheat** – Twice the holding times compared to deep fat fried menu items – (important for takeout orders). Reheat menu items in 90 seconds or less during rush periods!
- 1-Year Limited Warranty



### Electrical Options (Single Phase, 50/60Hz)

- 208V / 29A / 5760W / Nema 6-30R
- 240V / 24A / 5750W / Nema 6-30R

### Technical Specifications (W x D x H):

- External Dimensions: 29" x 21" x 23.4"
- Cooking Basket: 16.5" x 16.5" x 3"

### Shipping Specifications (W x D x H):

- Crated Dimensions: 37" x 30" x 29"
- Crated Weight: 175lb.

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Cooking Equipment

## Conveyor Toasters

The BakeMax BMCT Series Conveyor Toaster are perfect for toast, bagels and more. With its attractive design and easy to use functions this toaster is ideal for Restaurants, Hotels, Cafes, Delis and more.



BMCT300 / BMCT305



Intertek



### Features:

- Attractive and easy to clean Stainless-Steel Design
- Available in 1, 2 and 3 slice feeds
- 1.5" clearance
- Faster and consistent heat with quartz-infrared heaters
- Easy to use control takes the guesswork out of temperature and speed control settings
- Variable speed and top / bottom heat control for the perfect toast each time
- Energy efficient operation with power saver switch that reduces electricity consumption up to 75% and quick recovery with quartz heaters
- Extendable stainless-steel conveyor belt for easy loading
- Safe load up area with full width coated front burner guard and cool to the touch exterior
- Smart crumb tray keeps the breadcrumbs from falling under the toaster and easily removable to clean
- Heated holding area to keep toast at the perfect temperature
- High-limit switch prevents toaster from overheating, protecting critical component parts
- 1-Year Limited Warranty

### Technical Specifications

Model	Slice Feed	Slices / Hour	Belt Width	Dimensions (WDH)	Electrical	Net Weight
BMCT150	1	180	5.9"	13.4" x 25.2" x 15.8"	120V / 15A / 1800W / 60Hz / Nema 5-20P	40lbs.
BMCT300	2	360	9.8"	14.6" x 25.2" x 15.8"	220V / 12.2A / 2800W / 60Hz / Nema 6-20P	44lbs.
BMCT305	2	360	9.8"	14.6" x 25.2" x 15.8"	120V / 15A / 1800W / 60Hz / Nema 5-20P	44lbs.
BMCT450	2	500	11.8"	17.7" x 25.2" x 15.8"	220V / 16A / 3600W / 60Hz / Nema 6-20P	55lbs.

### Shipping Specifications

Model	Packaging Dimensions (WDH)	Packaging Weight
BMCT150	17" x 26" x 20"	44lbs.
BMCT300	22" x 26" x 20"	55lbs.
BMCT305	22" x 26" x 20"	55lbs.
BMCT450	27" x 26" x 20"	66lbs.



BMCT150



BMCT450

Think Quality - Think Value - Think Service - Think BakeMax



# Cooking Equipment

## Conveyor Baker

The BakeMax BMCB001 Conveyor Baker with 14" Wide Conveyor Belt is great for baking all types of bread, pizza, bagels, cookies and more. Designed to provide consistent heat with top and bottom infrared heaters and variable speed controls. Great for restaurants, convenience stores, cafes, and grocery stores.



Intertek

### Features:

- Body Constructed Completely of Stainless Steel
- Fast Start-Up due to the powerful 3,600-watt heating source
- Quartz sheathed heaters (2 above, 2 below conveyor) regulated by separate controls.
- Adjustable heat 158°F – 500°F (70°C – 260°C)
- Touch Safe™: with its burn proof design prevents accidental burns during operation
- Variable Speed Control
- Stainless Steel Conveyor Belt
- Bakes up to sixteen 12" or twelve 14" parbaked pizzas per hour
- Menu items can be cooked in the same oven to offer superior flexibility
- Opening Dimensions: 3.25" x 14"
- 1-Year Limited Warranty



### Technical Specifications:

- Electrical: 220V / 15A / 3.6kW / 60Hz / Nema 6-20P
- Dimensions (No Trays: WDH): 18.75" x 30" x 15.5"
- Dimensions (One Tray: WDH): 18.75" x 40.5" x 15.5"
- Dimensions (Both Trays: WDH): 18.75" x 47" x 15.5"
- Product Weight: 60lbs.

### Shipping Specifications:

- Packaged Dimensions (WDH): 37" x 26" x 19"
- Packaged Weight: 66lbs.

### Temperature & Time Settings

Dial Setting	Temperature	Time (Minutes' Seconds")
1	158-194°F (70-90°C)	10' 5"
2	194-230°F (90-110°C)	8' 50"
3	266-284°F (130-140°C)	7' 45"
4	284-311°F (140-155°C)	6' 35"
5	311-356°F (155-180°C)	5' 45"
6	365-401°F (185-205°C)	5' 05"
7	401-428°F (205-220°C)	4' 20"
8	464-500°F (240-260°C)	3' 30"
9	482-500°F (250-260°C)	1' 45"
10	482-500°F (250-260°C)	1' 20"

### Baking Settings

Product	Top Heat	Bottom Heat	Belt Speed
Pizza 12" Parbaked	300F	400F	6 Minutes
Meat & Cheese Sandwich	450F	300F	4 minutes
Meatball	500F	350F	2 Minutes
Bagel (open)	500F	400F	2 Minutes
1 oz Cookies	200F	250F	10 Minutes
Garlic Bread (Lightly Seasoned)	500F	500F	2 Minutes
Fish Sizzle Platter	400F	500F	6 Minutes

\*\*Above settings are guidelines only; product portions and temperatures can cause variations in product results.

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Food Preparation Equipment

## Titan Series Countertop Bone Saw

The BMCBS01 is made of stainless steel for durability and longevity, as well as being easy to clean. This unit is great for delis, meat shops, grocery stores, and restaurants. This unit comes with 3 different style blades, providing you flexibility in your cutting needs. Blades included are for Frozen Fish, Frozen Meat and Bone.



### Features:

- Includes Three 65" Blades (Frozen Fish, Frozen Meat, Frozen Bone)
- 8.25" Max Cutting Height
- 17.2" x 18.3" Feeding Table
- Adjustable Thickness Gauge to Provide Consistent Product Cuts
- Safety Switch to Automatically Cut-Off Power to the unit when the Door is Opened
- Hand Guard provides a Safe and Sanitary Operation

### Technical Specifications:

- Product Dims (WDH): 18.9" x 18.1" x 34.3"
- 120V / 10.8A / 750W / 1Ph / 60Hz / 5-15P
- Product Weight 82lbs.

### Shipping Specifications:

- Packaged Dims (WDH): 24" x 24" x 40"
- Shipping Weight: 122lbs.

## Bread Crumb Machine (Bread Mill)

The BakeMax BMBM001 Bread Crumb Machine makes use of stale bread. It produces breadcrumbs easily with its powerful 1HP motor producing up to 220 lbs. of crumbs an hour. Provides high performance and easy maintenance.



### Features:

- Constructed Completely of Stainless-Steel
- Powerful 1 HP Motor can produce up to 220 lb. of crumbs an hour and offers 3450 RPM
- Suitable for dried up bread or rolls and crackers. (Bread & rolls should be cut up into small pieces before being placed in the hopper.)
- Comes with 0.9mm & 1.5mm Screens
- Blade made of SAE 1020 steel
- Exterior Dimensions (WDH): 10.75" x 14" x 28"
- Hopper Opening: 4.75"
- Hopper Depth: 11.5"
- 110V / 13.8A / 750W / 60Hz / 5-20P Plug
- Weight 49lbs.
- Packaged Dimensions (WDH): 15" x 13" x 28"
- Packaged Weight: 60lbs.
- 1-Year Limited Warranty

Think Quality - Think Value - Think Service - Think BakeMax



# Food Preparation Equipment

## Heavy Duty Meat Grinders

The BakeMax BMMG001 & BMMG002 Meat Grinders are intended for heavy duty work in commercial food processing applications. They are reliable under the most demanding conditions. These units are great for Restaurants, Delis, and Meat Shops.

### BMMG001 Features:

- 1HP Motor Capable of up to 485 lbs./hr.
- #12 Hub
- 2 Plates included (6mm & 8mm)
- Constructed Completely in Stainless-Steel
- Conforms to all Safety Standards
- Energy-Efficient Motor and Precision Gear Drive
- Forward & Reverse Switch
- 120V / 8A / 850W / 60Hz / 1Ph
- Product Dimensions (WDH): 8" x 18" x 16"
- Product Weight: 55 lbs.
- Packaged Dimensions (WDH): 13" x 18" x 16"
- Packaged Weight: 62 lbs.
- Plug & Go Nema 5-15P Plug
- 1-Year Limited Warranty



BMMG001 / BMMG002

### BMMG002 Features:

- Powerful 1.5HP Motor capable of grinding up to 880lbs. of Meat per Hour
- #22 Hub
- 2 Plates Included (6mm & 8mm)
- Constructed completely in Stainless-Steel for Durability and Ease of Cleaning
- Conforms to all Safety Standards
- Energy-Efficient Motor and Precision Gear Drive
- 120V / 10A / 1120W / 60Hz / 1Ph / Plug & Go Nema 5-15P Plug
- Product Dimensions (WDH): 10" x 20" x 20"
- Net Weight: 88 lbs.
- Packaged Dimensions (WDH): 14" x 24" x 23"
- Packaged Weight: 95 lbs.
- Plug & Go 5-15P Plug
- 1-Year Limited Warranty



**BMMGA01 Meat Grinder  
Mixer Attachment**

### Features:

- Easy to use
- Sausage Stuffer Spout
- Fits Standard Drive Unit

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Food Preparation Equipment

## Titan Series Meat Grinders

Prepare freshly ground meat with ease using the BakeMax Titan Series BMMG003 & BMMG04 Meat Grinders. Constructed of anodized aluminum alloy and stainless steel for durability and ease of cleaning. Forward and reverse switch for ease of use. These also include emergency shut off switch for added safety. These units are great for Restaurants, Delis, and Meat Shops.

### BMMG003 Features:

- 1HP Motor capable of up to 350lbs./hr.
- #12 Hub
- 2 Meat Plates Included (4.5mm & 8mm)
- Forward & Reverse Switch
- 120V / 7A / 850W / 60HZ / 1 Phase
- Product Dimensions (WDH): 9" x 20" x 20"
- Product Weight: 32 lbs.
- Package Dimensions (WDH): 11" x 22" x 24"
- Package Weight: 34 lbs.
- Plug & Go Nema 5-15P Plug
- 1-Year Limited Warranty

### BMMG004 Features:

- 1.5HP Motor capable of up to 660 lbs./hr.
- #22 Hub
- 2 Meat Plates Included (4.5mm & 8mm)
- Forward & Reverse Switch
- 120V / 9A / 1100W / 60HZ / 1Ph
- Product Dimensions(WDH): 9.7" x 20.9" x 20.4"
- Product Weight: 41lbs.
- Packaged Dimensions (WDH): 11" x 24" x 24"
- Packaged Weight: 44lbs.
- Plug & Go Nema 5-15P Plug
- Meat Pusher Included
- 1-Year Limited Warranty

### BMMG005 Features:

- Powerful 2HP Motor capable of grinding up to 1100lbs. of Meat per Hour
- #32 Hub
- 2 Meat Plates included (4.5mm, 8mm)
- 120V / 1500W / 60HZ / 1Ph
- Product Dimensions (WDH): 10.7" x 23" x 20.8"
- Net Weight: 61lbs.
- Packaged Dimensions (WDH): 12" x 26 x 24"
- Packaged Weight: 66lbs.
- Plug & Go Nema 5-15P Plug
- Meat Pusher Included
- 1-Year Limited Warranty



Model BMMG003 & BMMG004



Model BMMG005

Think Quality - Think Value - Think Service - Think BakeMax

# Food Preparation Equipment

## Manual Meat Slicers

The BakeMax BMMSM Series Manual Meat Slicer is constructed from polished anodized aluminum for durability and ease of cleaning. Their belt driven motor makes them great for cutting deli meats and firm vegetables. Perfect for Restaurants, Sub Shops, Cafés, Delis and more.



### Features:

- Stainless-Steel Blade with Ceramic sharpening stone lets you sharpen in under 15 seconds
- Sanitary, polished anodized aluminum body to help protect against bacteria growth
- 350 RPM Belt Driven Induction Motor
- Meat Tray can hold foods up to 11" wide by 8" high.
- Carriage & Blade are removable for cleaning
- Easily Adjustable Cutting Thickness
- Blade Ring Guard prevents unintentional contact
- Safety / Food Guard to protect the operator
- 110V / 60Hz / 1Ph / Plug & Go Nema 5-15P Plug
- 1-Year Limited Warranty



### BMMSM08 Technical Specification:

- 8" Blade and 0.2-12mm cutting thickness
- Exterior Dimensions (WDH): 15.7" x 14.7" x 12"
- Net Weight: 27lbs.
- Packaged Dimensions (WDH): 21" x 17" x 15"
- Packaged Weight: 32lbs.

### BMMSM10 Technical Specification:

- 10" Blade and 0.2-15mm cutting thickness
- Exterior Dimensions (WDH): 20" x 16.5" x 14"
- Net Weight: 34lbs.
- Packaged Dimensions (WDH): 23" x 19" x 17"
- Packaged Weight: 44lbs.

### BMMSM12 Technical Specification:

- 12" Blade and 0.2-16mm cutting thickness
- Exterior Dimensions (WDH): 23.5" x 20" x 16.5"
- Net Weight: 52lbs.
- Packaged Dimensions (WDH): 25" x 21" x 19.5"
- Packaged Weight: 58lbs.



On/Off Switch

Thickness Adjustment Knob

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Food Preparation Equipment

## Vegetable Cutters & Slicers

The BakeMax® BMVC001 Vegetable Cutter is a countertop machine for slicing, grating and shredding fruits & vegetables. With its robust design and stainless-steel construction, makes it a great choice for Restaurants, Delis, Cafes and more. This food processor comes with 2 knives: 2.5mm and 4.5mm and 3 shredding discs: 3mm, 4mm and 7mm.



### Features:

- 3/4 HP Motor
- Long Lasting and Easy to Clean Stainless-Steel Construction
- 2 Slicing Knives Included: 2.5mm and 4.5mm
- 3 Shredding Discs Included: 3mm, 4mm, and 7mm
- Automatic Shut-Off when top Lid is Opened for Safety
- 110V / 5A / 550W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- Dimensions (WDH): 20" x 9" x 22.44"
- Net Weight: 51lbs.

### BMVC001 Shipping Specification:

- Packaged Dimensions (WDH): 23" x 12" x 23"
- Packaged Weight: 60lb

### BMVC001 Additional Blades:

- Shredding Discs (1.5mm, 3mm, 4mm, and 7mm)
- Slicing / Knife Discs (1mm, 2mm, 3mm, 4.5mm, 8mm, and 10mm)
- Dicing Discs (5mm, 8mm, 10mm, and 12mm)



## BMVS001 Vegetable Slicer & Cheese Grater Mixer Attachment

The BakeMax® Vegetable Slicer Mixer Attachment utilizes the Front Attachment Hub on your BakeMax Mixer. The BMVS001 makes easy work of shredding cabbage, slicing potatoes into chips, grating/shredding cheese, slicing nuts, slicing hard and soft fruit, and vegetables.



### Features:

- Durable & Easy to Clean
- Uses Common #12 Hub
- Includes Slicing or Shredding Disc
- Packaged Dimensions(WDH): 14" x 19" x 13"
- Packaged Weight: 20lbs.

### Optional Accessories:

- Shredding Discs with 1.5mm, 2mm, 3mm, 5mm, 6.5mm, 8mm, and 9mm holes.
- Slicing / Knife Discs 3mm



Think Quality - Think Value - Think Service - Think BakeMax

# Heated Display Cases

## Titan Series Self-Service Heated Display Cases

Increase impulse sales by displaying your sandwiches, burgers, wraps, pizzas and more with the 31.5" wide BakeMax BMHGG01 Titan Series Self-Serve Heated Display Case. With its slanted shelf design for better product visibility and 1160W of heating power to maintain food safe temperatures. The BakeMax BMHGG01 is the ultimate grab and go display warmer for any convenience store, cafeteria, concession stand or other self-serve counter.



Model BMHGG01



### Features:

- Constructed with a heavy-duty stainless-steel body, tempered glass sides, and fixed rubber feet for extra durability.
- Adjustable thermostatic controls and temperature range of 30-90°C (86-194°F) to maintain food safe temperatures.
- Independent heat & light controls for each shelf to allow flexibility when merchandising a variety of foods.
- Includes two slanted shelves with eight adjustable divider rods allowing you to display a wide variety of foods.
- Includes a Merchandising / Price Tag Strip
- 1-Year Limited Warranty

### Replacement Accessories:


- Price Tag Strip - Part # HGG01/018
- Adjustable Divider Rod – Part # HGG01/018

### Technical Specifications:

- Product Dimensions (WDH): 31.5" x 27.6" x 27.2"
- Product Weight: 90.5lbs.
- 120V / 10A / 1160 W / 60Hz / 1Ph
- Plug & Go 5-15P Nema Plug

### Shipping Specifications:

- Packaged Dimensions (WDH) 34" x 30.2" x 29"
- Packaged Weight: 97lbs.



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Heated Display Cases

## Titan Series Full-Service Heated Display Cases

Increase impulse sales with a BakeMax BMCBF Titan Series Heated Display Case. Ideal for convenience stores, concession stands, kiosks, and snack stations, display your food while keeping them at food safe temperatures.



Model BMCBF18

### Features:

- Stainless Steel Construction
- Three Adjustable Chrome Plate Shelves
- Removable Water Tray to Add Humidity
- Manual Temperature Control from 85-190°F
- External Temperature Display
- Internal Top Light
- Front Top Light Box with Customizable Decal
- Available in 18" Wide (BMCBF18) & 25" Wide (BMCBF25)
- Plug & Go Nema 5-15P Plug
- 1-Year Limited Warranty

### Model BMCBF18:

- Product Dimensions (WDH) 18" x 17.8" x 30.9"
- Shelf Size: 15.4" Wide x 13.3" Deep
- Product Weight: 48.5lbs / 22 kg
- 120V / 7.2A / 786W / 60Hz / 1Ph /

### Model BMCBF25:

- Product Dimensions (WDH) 25.5" x 19" x 30.9"
- Shelf Size: 22.6" Wide x 13.3" Deep
- Product Weight: 59.5lbs / 27 kg
- 120V / 9.5A / 1050 W / 60Hz / 1Ph



### Shipping Specifications:

#### Model BMCBF18

- Packaged Dimensions (WDH): 21" x 21.1" x 32.8"
- Packaged Weight: 50.5lbs / 22.9 kg

#### Model BMCBF25

- Packaged Dimensions (WDH): 28.3" x 21.1" x 32.8"
- Packaged Weight: 61.5lbs / 27.9 kg



Think Quality - Think Value - Think Service - Think BakeMax



# Heated Display Cases

## Titan Series Heated Display Cases

Display your food while keeping them at food safe temperatures with a BakeMax BMTSC Titan Series Heated Display Case. With sliding doors on both front & back of the unit and brilliant LED Lighting they are perfect for increasing impulse sales in convenience stores, concession stands, kiosks, and snack stations.



Model BMTSC27

### Features:

- Removable Water Tray to Add Humidity
- Adjustable Temperature Controls 85-190°F
- Exterior Temperature Display
- Three Adjustable Chrome Plated Shelves
- Tempered Glass
- Shelf Load Capacity of 22lbs. per shelf.
- Self-serve front sliding doors and easy filling rear sliding doors. (Model BMTSC14 has hinged front and back doors.)
- Available in the following widths:
  - 14" (Model BMTSC14)
  - 27" (Model BMTSC27)
  - 36" (Model BMTSC36)
  - 48" (Model BMTSC48)
- 1-Year Limited Warranty



BMTSC14



Temperature Control

Indicator Light

Heat and LED Switch



Model BMTSC48

Model	External Dimensions (WDH)	Packaged Dimensions (WDH)	Net Weight	Packaged Weight	Bottom Shelf	Middle Shelf	Top Shelf	Electrical
BMTSC14	14" x 19.1" x 26.1"	17" x 23" x 28"	45 lbs.	60 lbs.	11.4" x 13.7"	11.4" x 12.4"	11.4" x 11.3"	120V / 7.1A / 800W 60Hz / 5-15P
BMTSC27	27" x 19.1" x 26.1"	30" x 23" x 28"	74 lbs.	90 lbs.	13.6" x 24.4"	12" x 24.4"	11" x 24.4"	120V / 9A / 1000W 60Hz / 5-15P
BMTSC36	36" x 19.1" x 26.1"	39" x 23" x 28"	92 lbs.	120 lbs.	33.7" x 13.6"	33.7" x 12.4"	33.7" x 11.3"	120V / 9.4A / 1100W 60Hz / 5-15P
BMTSC48	48" x 19.1" x 26.1"	51" x 23" x 28"	118 lbs.	150 lbs.	45.7" x 13.6"	45.7" x 12.4"	45.7" x 11.3"	120V / 12.5A / 1500W 60Hz / 5-15P

Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Refrigerated Display Cases

## Grab & Go Refrigerated Floor Model Display Cases

BakeMax open-air coolers are perfect for merchandising items in gas stations, grocery stores, and other places where chilled snacks and beverages are sold. Products stored in an open fridge remain easily within reach of shoppers, boosting impulse sales at your establishment.



Model BMGG019



Model BMGG024



Model BMGG036



Model	External Dimensions (WDH)	Packaged Dimensions (WDH)	Net Weight	Packaged Weight	Capacity
BMGG019	19" x 26.5" x 69"	22" x 29" x 72"	212lbs.	240lbs.	220L
BMGG024	24" x 30" x 67"	27" x 33" x 70"	200lbs.	230lbs.	250L
BMGG036	36" x 33.3" x 60"	39" x 36" x 63"	302lbs.	335lbs.	390L
BMGGS36	36" x 31" x 57"	39" x 34" x 60"	300lbs.	330lbs.	390L

Model	Voltage	Phase	Amps	Watts	Hertz	Plug
BMGG019	120	1	8.1	970	60	5-15P
BMGG024	120	1	9	1000	60	5-15P
BMGG036	120	1	9.4	1100	60	5-15P
BMGGS36	120	1	11.6	1260	60	5-15P



Think Quality - Think Value - Think Service - Think BakeMax



# Refrigerated Display Cases

## Titan Series Refrigerated Display Cases

The BakeMax BMRCD Titan Series Countertop Refrigerated Display Case will help you increase impulse sales with its brilliant space saving design and 360° product view. These display cases feature 4 glass sides, lit with internal LED lighting, 3 adjustable chrome plated shelves and a digital control panel.



Model BMRCD01



### Features:


- Available with a single door (BMRCD01) or pass-through double doors (BMRCD02)
- Temperature Range: 0-12°C / 32 - 54°F
- Forced Air Circulation, providing air flow around your products
- 4 Sides of Double Glass Panels
- 360° Product View
- Internal LED top lighting for enhanced product display
- Digital Temperature Control
- Three Adjustable Chrome Plated Shelves
- Shelf Load Capacity of 32lbs. each
- Environment Friendly R290 Refrigerant
- Ventilated Cooling System
- Automatic Defrost
- 1-Year Limited Warranty
- **BMRCD01** Product Dimensions (WDH): 16" x 16.75" x 38.5"
- Shelf Size: 15" x 13.5"
- **BMRCD02** Product Dimensions (WDH): 16.75" x 16.75" x 38.5"
- Shelf Size: 14.1" x 12.4"
- 110V / 180W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- Net Weight 80lbs. / 36kg

### Shipping Specifications:

- Packaged Dimensions (WDH): 19" x 19" x 41"
- Packaged Weight 86lbs.



Double Door  
Model # BMRCD02



Due to continuous product improvement, specifications are subject to change without notice.

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

1-800-565-2253

[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)

# Refrigerated Display Cases

## Titan Series Full-Service Refrigerated Display Cases

The BakeMax BMREF Titan Series Countertop Refrigerated Display Case is great for Restaurants, Cafes, Cafeterias, Hotels and more. This unit will help you increase your impulse sales with its beautiful, curved glass design and LED lights.



Model BMREF28



### Features:

- Available in 28" Wide (BMREF28) or 35" Wide (BMREF35)
- Temperature range: 0-12°C / 32 - 54°F
- Forced Air Circulation
- 4 Sides of Double Glass Panels giving 360° Product View
- Curved Front Glass provides an elegant look
- Internal LED Top Lighting for enhanced product display
- Sliding Back Doors for easy access to your products
- Digital temperature display & controls
- Adjustable Chrome Plated Shelves with a Capacity of 32lbs
- Ventilated Cooling System
- Environment Friendly R290 Refrigerant
- Air Duct in Front Panel Removes Condensation Water from Curved Front Glass
- Automatic Defrost
- 1-Year Limited Warranty

### BMREF28 Technical Specifications:

- Product Dimensions (WDH): 27.6" x 22.5" x 27"
- Shelf Sizes (W x D): Top Shelf: 25" x 13.25"  
Bottom Shelf: 25" x 14.5"
- Shelf Max Load Capacity: 32lbs/each
- Electrical: 120V / 160W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- R290 Refrigerant
- Net Weight: 141lbs. / 64kg

### BMREF35 Technical Specifications:


- Product Dimensions (WDH): 35.4" x 22.5" x 27"
- Shelf Sizes (WD): Top 32" x 13.25"  
Bottom 32" x 14.5"
- Shelf Max Load Capacity: 32lb
- Electrical: 120V / 160W / 60Hz / 1Ph
- Plug & Go 5-15P Plug
- R290 Refrigerant
- Net Weight: 156lbs. / 71kg

### BMREF28 Shipping Specifications:


- Packaged Dimensions (WDH): 31" x 25" x 30"
- Packaged Weight: 146lbs. / 66kg

### BMREF35 Shipping Specifications:

- Packaged Dimensions (WDH): 38" x 25" x 30"
- Packaged Weight: 162lbs. / 73kg



Model BMREF35



Think Quality - Think Value - Think Service - Think BakeMax



# Warranty & Service

BakeMax provides a 1-Year Limited Parts and Labor Warranty on most items, there are select items which carry a Limited 2-Year Warranty. Extended Warranty is available on some products. Please contact us for details. The Warranty is not transferable and is limited to original installation of equipment sold by BakeMax for the original user.

For all Warranty Claims, Proof of Purchase and/or Serial Number is required. Once the machine is approved, BakeMax will provide our customers with on-site Warranty Coverage on all equipment more than 100lbs. BakeMax assumes no responsibility for down time or loss of product. Repairs must be Pre-Authorized by BakeMax and have a Service Authorization Number issued prior to commencing Warranty Service.

Warranty begins 10-Days after shipping from warehouse; delays in installation which would extend the Warranty must be Approved. All equipment must be installed and connected by Qualified Professionals in accordance with the Manual Specification. Products shipped are to be inspected at time of delivery, the receiver is responsible for inspection.

Any abuse or improper use of the equipment will void the warranty. This includes failure to follow all cleaning instructions, improper installation, improper maintenance, failure to follow capacity charts, improperly wired electrical connections. The Warranty does not apply to abuse, willful or accidental damage, or to products used for other than their intended purpose. Normal wear parts such as Accessories, Attachments, or Electrical Components such as Fuses, Bulbs, Elements, and Switches carry a 90-Day Warranty only.

Bench Warranty (Machines Weighing 100 lb. or less)

Once the machine is Approved for Warranty Service, if the machine requires Warranty work in less than 30 days of purchase date, BakeMax will pay all shipping charges. Once the machine is received and repaired it will be returned to the user at BakeMax expense. Freight Damages during return shipping is the responsibility of the owner of the machine.

The following is **not** covered under the BakeMax Warranty:

1. Overtime Labor Rates are not covered by BakeMax.
2. All parts will be shipped via Ground Courier only; If Express Shipping is required, it will be the responsibility of the Customer or Dealer.
3. Travel for Warranty Service is covered up to 100 Miles / 160 Km Roundtrip, any further mileage will be the responsibility of the Customer or Dealer.
4. There is no on-site Warranty Service for Residential Addresses or addresses outside of the contiguous United States (*Lower 48*) or *Canadian Provinces*

**\*\*Machines sold outside of the contiguous United States(Lower 48), or Canadian Provinces will carry 1-Year Parts Warranty only.**

# Terms & Conditions

## Terms

Net 15 days subject to Credit Approval. All past due Accounts are subject to 2% per month Service Charge as per Credit Application. We accept Visa, MasterCard, and Discover Credit Cards. We also accept E-Transfer & Wire Transfer; additional fees may apply.

## Pricing

All prices are subject to change without notice. All prices are Sales Tax Extra. BakeMax products are sold in Canadian and US Dollars. BakeMax is not responsible for specifications errors or printing errors.

## Shipping

Free shipping to Canada (Excluding Yukon, Northwest Territories & Nunavut) and the U.S. (Lower 48) Minimum order \$6,000 for BakeMax and \$10,000 for BakeMax America Cooking Line. Tailgate Delivery is \$90.00 minimum. All checks made Payable to Titan Ventures International Inc. BakeMax is not responsible for goods damaged during shipping. BakeMax is not responsible for any delays in delivery once product has left our Warehouse and is in the carrier's possession. Products shipped are to be inspected at time of delivery, the receiver is responsible for inspection. Damaged Freight Claims are to be claimed with the carrier. BakeMax assumes no responsibility for Damaged Freight. Shipping Insurance available by request. By signing your name on the delivery receipt without noting any damages, you are stating that you have received your shipment in Acceptable Condition.

## Return Policy

Returns will not be Approved unless in Writing. Returns must be made within 30-Days of Purchase and must have a Return Authorization Number issued before returning. The purchase order number, reason for return, and the serial number(s) of the unit are required for the Return Authorization Number. Minimum return amount of \$100.00.

Returns are subject to a minimum restocking fee of 30%. The cost of any repairs or re-crating required will be charged back to the dealer. If there is a manufacturer's defect BakeMax® will pay standard freight returned and prepaid shipping back to the customer.

Special Order Items, Clearance / Discontinued Equipment, Parts, Refurbished/Demo Equipment, or Non-Standard items are not Returnable.

## Ordering Information

Send purchase orders to BakeMax via e-mail [orderdesk@bakemax.com](mailto:orderdesk@bakemax.com) or Fax (506-859-6929). Use Model or Part number when ordering including Voltage Requirements, and Product Description. Please include the Dealer, Name, Address, terms, special delivery, or instructions required or attention names to be applied to packaging. Please notify BakeMax should you need order confirmation or tracking numbers, by calling 1-800-565-2253 or email [orderdesk@bakemax.com](mailto:orderdesk@bakemax.com).

## Special Terms and Conditions

BakeMax reserves the right to make improvements or equipment changes without prior permission. Setup and Installation are the end user's Responsibility. Failure to properly Install or Maintain Equipment may Void Warranty.

## Catalog, Spec Sheets and Website

BakeMax is not liable for incorrect information found in our Catalog, Spec Sheets or Website. Please contact us to confirm specifications. Pictures and specifications are for general purposes only. Product may not be exactly as shown. Prices and availability may change at any time without notice. Dimensions shown may change at any time without notice.

**Due to continuous product improvement, specifications are subject to change without notice.**

Visit [www.BakeMax.com](http://www.BakeMax.com) for up-to-date product information.

**1-800-565-2253**

**[OrderDesk@BakeMax.com](mailto:OrderDesk@BakeMax.com)**



**www.BakeMax.com**



**USA Warehouses**

5705 Valley Belt Rd  
Independence, OH 44131

1201 E 27th Terrace  
Pittsburg, KS 66762

**Head Office & Canadian Warehouse**

Titan Ventures International  
20 Caribou St  
Moncton, NB E1H 0P3

**Contact Information**

**Phone:** 1-800-565-BAKE (2253)

**Sales:** Sales@BakeMax.com

**Orders:** OrderDesk@BakeMax.com

**Service:** Service@BakeMax.com

**Parts:** Info@BakeMax.com

**Fax:** 1-506-859-6929